
BATTERIES - BATTERY HOLDERS - BATTERY CHARGERS



ALKALINE BATTERIES	372
BATTERY CHARGERS	376 - 377
BATTERY CLIPS	382
BATTERY HOLDERS	378 - 381
BATTERY PACK CONNECTORS	377
BATTERY SNAPS	382
BATTERY SOLDER TAGS	382
BATTERY TEST	384
BATTERY TESTERS	378
BUTTON CELLS	370
CAR BATTERY CHARGERS	383 - 384
COIN CELL HOLDERS	371
COIN CELLS	370
CYCLON CELLS	375
DELTA PEAK SMART CHARGER	377
DIGITAL CAMERA BATTERIES	373
HEAVY DUTY ZINC	
CARBON BATTERIES	373
LiPo MONITOR	373
LiPo RECEIVER PACK MONITOR	373
LITHIUM PP3 BATTERY	373
MOBILE PHONE CHARGERS	377
Ni-MH BATTERIES	374 - 375
NI-MH RACE PACKS	377
PCB MOUNTED COIN CELLS	370
PHOTOGRAPHIC/INSTRUMENT	
BATTERIES	372 - 373
SEALED LEAD ACID BATTERIES	383
SEALED LEAD ACID	
BATTERY CHARGERS	383
TELEPHONE BATTERY PACKS	378
ZINC CHLORIDE BATTERIES	372

Last Revised 27/07/2011

PRICE

BUTTON CELLS

ALKALINE BUTTON CELLS a range of popular size long life

alkaline manganese button cells. Nominal voltage 1.5V. Extensively used in clocks, calculators, cameras and meters etc.

TYPE

CODE



CODL		FRICE
	Dia x Ht (mm)	
L621	6.8 x 2.1mm Button Cell AG1 x 1	£0.39
BPL621	6.8 x 2.1mm Button Cell AG1 10 pack	£3.50
L726	7.9 x 2.6mm Button Cell AG2 x 1	£0.39
BPL726	7.9 x 2.6mm Button Cell AG2 10 pack	£3.50
L736	7.9 x 3.6mm Button Cell AG3 x 1	£0.39
BPL736	7.9 x 3.6mm Button Cell AG3 10 pack	£3.50
L754	7.9 x 5.4mm Button Cell AG5 x 1	£0.49
BPL754	7.9 x 5.4mm Button Cell AG5 10 pack	£4.40
L926	9.5 x 2.6mm Button Cell AG7 x 1	£0.45
BPL926	9.5 x 2.6mm Button Cell AG7 10 pack	£4.00
L1121	11.6 x 2.1mm Button Cell AG8 x 1	£0.49
BPL1121	11.6 x 2.1mm Button Cell AG8 10 pack	£4.40
L1131	11.6 x 3.1mm Button Cell AG10 x 1	£0.45
BPL1131	11.6 x 3.1mm Button Cell AG10 10 pack	£4.00
L1142	11.6 x 4.2mm Button Cell AG12 x 1	£0.45
BPL1142	11.6 x 4.2mm Button Cell AG12 10 pack	£4.00
L1154	11.6 x 5.4mm Button Cell AG13 x 1	£0.49
BPL1154	11.6 x 5.4mm Button Cell AG13 10 pack	£4.40

SILVER OXIDE CELLS an extensive range of non rechargeable silver oxide button cells suitable for use in calculators, cameras,

clocks. Silver oxide may be used in place of alkaline button cells if dimensions are compatible. Nominal voltage 1.55V

TYPE

CODE



Dia x Ht (mm) **SR41** 7.9 x 3.6mm Silver Oxide Cell SG3 x 1..... £0.55 BPSR41 7.9 x 3.6mm Silver Oxide Cell SG3 10 pack..... £4.95 11.6 x 4.2mm Silver Oxide Cell SG12 x 1..... £0.95 **SR43** BPSR43 11.6 x 4.2mm Silver Oxide Cell SG12 10 pack.... £8.55 11.6 x 5.4mm Silver Oxide Cell SG13 x 1..... £1.95 **SR44** BPSR44 11.6 x 5.4mm Silver Oxide Cell SG13 10 pack £17.55 9.5 x 3.6mm Silver Oxide Cell SG9 x 1..... £0.60 **SR45** 9.5 x 3.6mm Silver Oxide Cell SG9 10 pack..... £5.40 BPSR45 SR48 7.9 x 5.4mm Silver Oxide Cell SG5 x 1..... £0.60 **BPSR48** 7.9 x 5.4mm Silver Oxide Cell SG5 10 pack..... £5.40 11.6 x 3.1mm Silver Oxide Cell SG10 x 1..... £0.95 SR54 BPSR54 11.6 x 3.1mm Silver Oxide Cell SG10 10 pack.... £8.55 SR55 11.6 x 2.1mm Silver Oxide Cell SG8 x 1..... £0.60 11.6 x 2.1mm Silver Oxide Cell SG8 10 pack..... £5.40 BPSR55 **SR57** 9.5 x 2.6mm Silver Oxide Cell SR57 x 1..... £0.90 **SR58** 7.9 x 2.1mm Silver Oxide Cell SG11 x 1..... £0.55 BPSR58 7.9 x 2.1mm Silver Oxide Cell SG11 10 pack.... £4.95 7.9 x 2.6mm Silver Oxide Cell SG2 x 1..... £0.55 **SR59** BPSR59 7.9 x 2.6mm Silver Oxide Cell SG2 10 pack..... £4.95 SR60 6.8 x 2.1mm Silver Oxide Cells SG1 x 1..... £0.55 6.8 x 2.1mm Silver Oxide Cells SG1 10 pack £4.95 BPSR60 01-0514 5.8 x 1.65mm Silver Oxide Cell SR62 x 1..... £1.90 500-710 5.8 x 2.15mm Silver Oxide Cell V379(SR63) x 1 £0.99 500-706 5.8 x 2.7mm Silver Oxide Cell V319 (SR64) x 1. £1.99 01-0520 6.8 x 1.65mm Silver Oxide Cell SR65 x 1..... £1.45 6.8 x 2.6mm Silver Oxide Cell V377 (SR66) x 1. £0.99 500-708 7.9 x 1.65mm Silver Oxide Cell SR67 x 1..... £1.99 01-0511 01-0532 9.5 x 1.65mm Silver Oxide Cell SR68 x 1..... £1.99 9.5 x 2.1mm Silver Oxide Cells SG6 X1..... £0.60 SR69 9.5 x 2.1mm Silver Oxide Cells SG6 10 pack...... £5.40 BPSR69 5.8 x 2.1mm Silver Oxide Cell SG521 x 1..... £0.95 SR521 BPSR521 5.8 x 2.1mm Silver Oxide Cell SG521 10 pack.... £8.55 **ZINC AIR BUTTON CELLS** a range of non rechargeable zinc air button cells suitable for use in hearing aids, pagers and other applications that require precise operational battery characteristics. Zinc air cells start to produce energy only after the protective seal has been removed, they offer twice the capacity of mercury cells and have a flat voltage profile thereby giving maximum performance to the end of the life of the cell. Nominal voltage 1.4V.



	Dims	s (mm)		Equivalent	Nominal	
CODE	Dia	Ht	Туре	Duracell	Volt	Capacity
500-005	5.8	3.55	V10AT	DA10	1.4	60mAh
500-010	7.9	3.6	V312AT	DA312	1.4	120mAh
500-015	7.9	5.4	V13AT	DA13	1.4	230mAh
500-020	11.6	5.4	V675AT	DA675	1.4	540mAh
CODE	TYP	E				PRICE
500-005	5.8m	nm Zino	Air Button C	Cells x 1		£1.30
500-010	7.9m	nm Zino	Air Button C	Cells x 1		£1.30
500-015	7.9m	nm Zino	Air Button C	Cells x 1		£1.30
500-020	11.6	mm Zir	nc Air Button	Cells x 1		£1.30
500-006	5.8m	nm Zino	Air Button C	Cells 6 pack		£6.99
500-011	7.9m	nm Zino	Air Button C	Cells 6 pack		£6.99
500-016	7.9m	nm Zino	Air Button C	Cells 6 pack		£6.99
500-021	11.6	mm Zir	nc Air Button	Cells 6 pack		£6.99

COIN CELLS

LITHIUM MANGANESE COIN CELLS a range of non rechargeable lithium manganese coin cells suitable for use in equipment requiring a low quiescent current with short pulses up to a few hundred micro amps. Typically used in calculators, cameras and watches. Nominal voltage 3.0V.



	Dims	s (mm)			Nominal	
CODE	Dia	Ht	Туре	Weight	Volt	Capacity	PRICE
500-758	11.6	10.8	CR1/3N	0.0g	3.0	160mAh	£7.99
500-759	10.0	2.5	CR1025	0.0g	3.0	30mAh	£1.99
500-291	12.5	2.0	CR1220	0.9g	3.0	35mAh	£1.99
500-292	16.0	1.6	CR1616	1.2g	3.0	50mAh	£1.99
500-050	16.0	2.0	CR1620	1.2g	3.0	70mAh	£1.99
500-055	20.0	1.6	CR2016	1.7g	3.0	75mAh	£1.99
500-060	20.0	2.5	CR2025	2.5g	3.0	130mAh	£1.99
500-065	20.0	3.2	CR2032	3.0g	3.0	200mAh	£1.99
500-070	24.5	3.0	CR2430	4.0g	3.0	260mAh	£1.99
500-072	24.5	5.0	CR2450	7.0g	3.0	610mAh	£2.50
500-296	24.0	7.7	CR2477	8.0g	3.0	550mAh	£4.99

PCB MOUNTED COIN CELLS

LITHIUM COIN CELLS PCB MOUNTED non-rechargeable 3v coin cell. Horizontal and verticalPCB mounted. Ideally suited to memory backup applications.



CODE TYPE


PRICE

01-0462Varta Lithium PCB Coin Cell CR2032 Horizontal.£2.9901-0470Varta Lithium PCB Coin Cell CR2430 Horizontal.£2.9901-0458Varta Lithium PCB Coin Cell CR2025 Vertical.....£1.9901-1475Varta Lithium PCB Coin Cell CR2430 Vertical.....£2.99

COIN CELL HOLDERS

COIN CELL CONTACT a nickel plated spring steel positive contact clip to retain and connect coin cells to printed circuit boards. Spring tension assures low contact resistance for reliable connec-

tion. The contact is marked with a "+" enabling easy cell replacement. Contact length 21.4mm



CODE TYPE 500-090 Coin Cell Contact..... PRICE


.....£0.29

COIN CELL RETAINER CONTACTS a range of economical contacts for easy and quick battery installation and replacement. Ideal for memory back up. Available in surface (SMT) and through hole mount (THM), for cell diameters from 12 to 24mm. Negative battery connection is achieved by the battery contacting directly to the PCB track. Sold individually.



Technical	Technical Specification:-				
CODE	cell dia Mounting	Cell Types			
500-575	12mm SMT	CR1216, CR1220, CR1225			
01-0050	16mm SMT	BR1616, CR1612, CR1616			
		CR1620, CR1632			
01-0052	16mm THM	BR1616, CR1612, CR1616			
		CR1620, CR1632			
500-585	20mm SMT	CR2016, CR2020, CR2025,CR2032			
500-590	20mm THM	CR2016, CR2020, CR2025,CR2032			
500-610	24mm THM	CR2430, DL2430			
CODE	TYPE	PRICE			
500-575	Coin Cell Retaine	er 12mm SMT £1.15			
01-0050	Coin Cell Retaine	er 16mm SMT £1.25			
01-0052	Coin Cell Retaine	er 16mm THM £1.20			
500-585	Coin Cell Retaine	er 20mm SMT £1.20			
500-590	Coin Cell Retaine	er 20mm THM £1.20			
500-610	Coin Cell Retaine	er 24mm THM £1.25			


COIN CELL HOLDERS a range of PCB mounting coin cell holders for use on equipment where battery replacement may be necessary. Untagged coin cells can be inserted into the holders and held in position by the positive contact, which ensures the cell makes a good connection with the negative terminal in the base of the holder. The holder is moulded in black PBT, the contacts are tin plated phosphor bronze. Available to suit 20mm diameter (CR2032 type) or 24mm diameter (CR2430 type) coin cells.



Technical Specification:	- 1225	2032 type	2325 type	2430 type
A	13mm	22.6mm	22.9mm	27.7mm
В	15mm	27.3mm	29mm	30.4mm
С	4.0mm	5.1mm	5.3mm	4.7mm
D	5.5mm	7.6mm	6.6mm	7.2mm
E	8.2mm	8.4mm	7.3mm	8.3mm
Max cell diameter	12mm	20mm	23mm	24mm
Minimum cell thickness	2mm			

PRICE CODE TYPE 01-0036 Coin Cell Holder 1225 Style..... £0.99 Coin Cell Holder 2032 Style..... £0.99 500-315 Coin Cell Holder 2325 Style..... £0.99 01-0038 500-320 Coin Cell Holder 2430 Style..... £0.99

COIN CELL HOLDERS a range of high quality PCB mounting coin cell holders. The cells are held in position by the positive contact, which ensures the cell makes a good connection with the negative contact in the base of the holder. Available to suit 12, 16, 20mm diameter cells. Available to suit 12,16,20 and 23mm diameter cells. The 12mm type and a 20mm type holder for 2 cells, giving 6V power are also available.




Technical Specification:cell

cell dia (mm	n) no. of cells	Α	в	С	D	Е	
12	1	15.1	19.1	3.8	6.4	7.1	
12	2	15.1	19.1	6.4	8.9	9.7	
16	1	19.1	22.8	3.8	6.4	7.9	
20	1	20.21	13.03	4.9	8.5	7.5	
20	2	27.8	31.0	7.9	10.5	11.5	
24	1	25	13.03	4.9	8.5	7.5	
24	2	25	18	7.9	11.9	10.6	
CODE 500-325	TYPE Coin Cell Hold	der 12mm	Single	e			

500-325	Coin Cell Holder 12mm Single	£2.65
500-330	Coin Cell Holder 12mm Dual	£2.99
500-335	Coin Cell Holder 16mm Single	£2.65
01-0040	Coin Cell Holder 20mm Single	£2.85
500-340	Coin Cell Holder 20mm Dual	£2.99
500-345	Coin Cell Holder 23mm Single	£2.65
01-0042	Coin Cell Holder 24mm Single	£2.75
01-0044	Coin Cell Holder 24mm Dual	£2.99

VERTICAL COIN CELL HOLDER A space saving battery holder to accept a single 20mm coin cell e.g. CR2016, CR2025. The battery is installed from the top with contacts that are polarised to ensure proper continuity and circuit protection. Additional PCB clips are included to improve stability. Moulded from PBT with tin over nickel plate contacts. Temperature range -50° to +145°C. Suitable for wave soldering.



CODE TYPE PRICE 500-273 20mm Single Vertical Holder..... £2.55

PCB BUTTON CELL HOLDER holds button cells securely to the PCB. Retains 736 button cell. Low profile and stable mount legs for increased strength.



PRICE

PRICE

POST FREE DELIVERY ON ALL ORDERS WITHIN THE UNITED KINGDOM **MINIMUM ORDER VALUE £15.00**

You may mix your order from ANY of our catalogues

ZINC CHLORIDE BATTERIES

ZINC CHLORIDE BATTERIES a range of non-rechargeable zinc chloride batteries, suitable for heavier duty high drain applications. These batteries are totally mercury free.



CODE	ТҮРЕ	PRICE
ZCB024	Zinc Chloride Battery AAA 1.5V - Pack of 4	£1.35
ZCB027	Zinc Chloride Battery AA 1.5V - Pack of 4	£1.35
ZCB029	Zinc Chloride Battery C 1.5V - Pack of 2	£1.45
ZCB031	Zinc Chloride Battery D 1.5V - Pack of 2	£1.85
ZCB033	Zinc Chloride Battery PP3 9V - Single	£1.25
ZCB035	Zinc Chloride Battery 4.5V 312G/3R12 - Single	£1.75

ALKALINE BATTERIES

GP SUPER ALKALINE BATTERIES a range of non-rechargeable alkaline batteries, suitable for high current applications over a longer period. These batteries are totally mercury free.



CODE	ТҮРЕ	PRICE
501-191	Super Alkaline Battery AAAA 1.5V - Pack of 2	£2.25
501-182	Super Alkaline Battery AAA 1.5V - Pack of 4	£1.85
501-183	Super Alkaline Battery AAA 1.5V - Pack of 8	£3.50
501-180	Super Alkaline Battery AA 1.5V - Pack of 4	£1.85
501-008	Super Alkaline Battery AA 1.5V - Pack of 8	£3.50
501-009	Super Alkaline Battery AA 1.5V - Pack of 12	£5.99
501-184	Super Alkaline Battery C 1.5V - Pack of 2	£2.99
501-186	Super Alkaline Battery D 1.5V - Pack of 2	£3.45
501-188	Super Alkaline Battery PP3 9V - Single	£2.25

DURACELL ALKALINE BATTERIES a range of long life nonrechargeable alkaline batteries. The cells are particularly suitable for high drain applications with continuous heavy loads. They have a shelf life up to 5 years and no added mercury or cadmium.



CODE	TYPE	PRICE
500-840	Duracell Alkaline Batteries AAA x4	£3.99
500-841	Duracell Alkaline Batteries AA x2	£2.10
500-842	Duracell Alkaline Batteries AA x4	£3.99
500-843	Duracell Alkaline Batteries C x2	£3.25
500-844	Duracell Alkaline Batteries D x2	£3.45
500-845	Duracell Alkaline Batteries D x4	£4.99
500-846	Duracell Alkaline Battery PP3 x1	£3.25

SUPER ALKALINE LR1 1.5V BATTERIES a miniature 1.5V longlife alkaline battery commonly used in remote controls and photographic equipment. Dimensions 28.5 x 10mm diameter. Supplied in packs of 2

Supplied		GP.	SUPER ALIKALINE BATHY BIDA LRI 1.5V	
CODE 501-190	TYPE GP Super Alkaline LR ⁻	1/N 1.5V Batte		PRICE £1.99
as used in	RE ALKALINE BATTE n many cameras, remote fobs, test equipment, lig	e control	e alkaline ba	atteries

Technical Sp Type GP11A GP27A	vecification Voltage 6V 12V	Dia 10.3	Length 16.5 28.0	Weight 4.0g 4.4g	-	ANUTANUTINA	SUPER AURAD	
CODE	TYPE							PRICE
500-702	Mini All	kaline	e Batte	ery GP11	A 6V			£1.65
500-704	Mini All	kaline	e Batte	ery GP27	A 12V			£1.90

12V ALKALINE BATTERY a miniature 12V alkaline battery used extensively in miniature instruments, lighters and remote control systems. Dimensions 28.5 x 10mm 12 V III. diameter. Equivalent to GP23A.

CODE	ТҮРЕ	PRICE
L1028	12V Alkaline Battery	£0.90
500-028	12V Alkaline Battery Pack of 5	£3.99

PHOTOGRAPHIC/ INSTRUMENT BATTERIES

GP ALKALINE CELL LR9/PX625A specially used in photographic applications and car remote controls. A high quality cell giving longlife and constant voltage.

Type LR9/PX625A, dimensions 5.95 x Sold individually.	,	RECEIVE CONTRACTION	
Sold individually.			

CODE TYPE

PRICE 501-204 GP Alkaline Cell LR9/PX625A - 1.5V..... £1.49

GP ALKALINE CELL 4LR44 specially used in photographic applications, a high quality cell giving longlife and constant voltage. Type 4LR44, 6 volt, dimensions 25.2 x 13mm. Sold individually.

	GP. SUPER ALLKALLINE ATEA OV ANTER	
CODE	ТҮРЕ	PRICE
501-202	GP Alkaline Cell 4LR44 - 6V	£1.90

MULTIMETER/PHOTOGRAPHIC BATTERIES a range of Alkaline 15V batteries as used in photographic applications and the popular

AVO 8 multimeter. Early AVO 8's use the BLR12 while later models e.g. model 8 MK7 use the BLR154 type.



Technical Specification

roomioui	opoonnounom			
Туре	Voltage	Dims (mm)	Weight(g)	
BLR121	15	27 x 16 x 37	16	
BLR122	22.5	27 x 16x 50	23.6	
BLR154	15	15 dia x 34	15	
CODE	TYPE			PRICE
500-217	Multimeter/F	Photographic E	Battery BLR121	£9.99
500-218	Multimeter/F	Photographic E	Battery BLR122	£12.99
500-219	Multimeter/F	Photographic E	Battery BLR154	£10.99

PHOTOGRAPHIC/INSTRUMENT BATTERIES a range of non rechargeable lithium manganese batteries suitable for use in cameras, electronic equipment and memory back-up applications.



Technical	Specification			
Varta	Nominal	Nominal	Approx	
Туре	Voltage	Capacity	Dimensions(mm)	
2CR5	6V	1.5Ah	45 x 34 x 17	
CR123A	3V	1.3Ah	34.4 x 17 dia	
CR2	3V	800mAh	27.0 x 15.6 dia	
CR-P2	6V	1.3Ah	35.8 x 34.8 x 19.3	
CR-V3	3V	1.3Ah	52.0 x 29.0 x 14.5	
CODE	TYPE			PRICE
500-221	Photographic	c/Instrumen	t Battery 2CR5	£10.99
500-223	Photographic	c/Instrumen	t Battery CR123A	£4.99
500-224	Photographic	c/Instrumen	t Battery CR2	£4.65
500-226	Photographic	c/Instrumen	t Battery CR-P2	£9.85
01-0756	Photographic	c/Instrumen	t Battery CR-V3	£12.90

DIGITAL CAMERA BATTERIES

DIGI 1 NICKEL ZINC BATTERY a non rechargeable nickel zinc battery. Lasts up to 3 times as long as standard alkaline batteries. Ideal for digital cameras etc. Supplied in packs of 4.

	for digital camero	
CODE	ТҮРЕ	PRICE
01-1920	Digi 1 Nickel ZincBatteries AAx4	£3.15

LITHIUM PP3 BATTERY

GP® LITHIUM BATTERY PP3 a 9V PP3 (6LR61) lithium battery

for super high performance. Suitable for various applications. Extra long life. Type CRV9, Voltage 9V Dimensions 50 x 26 x 17mm



CDD: ----

CODE TYPE PRICE 01-0331 GP Lithium Battery PP3 (6LR61) 9V..... £10.99

HEAVY DUTY ZINC CARBON BATTERIES

HEAVY DUTY PJ996 BATTERY a heavy duty zinc-carbon PJ996

6V lantern battery with two coiled spring connectors. This battery has high capacity output and is ideally suited to 'bulb and switch' work in educational environments. Dims 67 x 67 x 102mm. Sold individually.



CODE TYPE 500-125 Heavy Duty Battery PJ996 x 1..... £3.50

PRICE

POST FREE DELIVERY ON ALL ORDERS WITHIN THE UNITED KINGDOM **MINIMUM ORDER VALUE £15.00** You may mix your order from ANY of our catalogues

GP® POWERCELL BATTERY GP908 a heavy duty carbon zinc


battery that provides an economical and reliable power source for general battery operated devices. Suitable for lanterns, toys and clocks. GP® Powercell Battery, GP908 (PJ996, 4R25), 6V. Dims 66 x 66 x 111mm.



CODE	ТҮРЕ	PRICE
01-0041	GP Powercell GP908 6V Cell	£4.99

GP POWERCELL BATTERY 9V PP3 a heavy duty carbon zinc

batteries that provide an economical and reliable power source for general battery operated devices. Suitable for lanterns, toys and clocks. Sold individually.



CODE	ТҮРЕ	PRICE
502-044	GP Powercell Battery 9V - PP9	£5.99

LiPo MONITOR

LiPo MONITOR used to test the state of a 3 cell or 4 cell LiPo battery pack.

-	BATTERY MONITOR	- Carri
	FOR 3 CELLS	13

CODE	TYPE	PRICE
501-055	LiPo Battery Monitor for 3 Cells	£10.99
500-056	LiPo Battery Monitor for 4 Cells	£10.99

LiPo RECEIVER PACK MONITOR

LiPo RECEIVER PACK MONITOR used to test the state of a receiver monitior LiPo battery pack.



CODE TYPE PRICE 501-057 LiPo Receiver Pack Monitor..... £11.99

PRODUCT CODES

PLEASE NOTE IT IS VERY IMPORTANT TO USE THE CORRECT PRODUCT CODE FOR THE ITEMS YOU WISH TO ORDER

IT IS VITAL TO INCLUDE THE PUNCTUATION IN THE CODE AND TO FORMAT THE CODE AS SHOWN IN THE CATALOGUE POST FREE DELIVERY ON ALL ORDERS

NI-MH BATTERIES

The new generation of rechargeable cells. Nickel Metal Hydride or Ni-MH cells do not contain any toxic or or hazardous materials such as cadmium, mercury, lead or lithium. They can be charged many times, a service life of 500 to 1000 charge/discharge cycles can be expected. Capacities are higher than Ni-cad cells of equivalent size and are not subject to the 'memory' effect that can reduce the capacity of Nicad cells. They can be disposed of safely at the end of their life.

NICKEL METAL HYDRIDE RECHARGEABLE AAA CELLS a high quality Ni-MH AAA cell. Capacity 600mAh, Standard charge 14 hours @ 60mA, Fast charge 5 hours @ 120mA. Supplied individually.



	(COU BOARNE	
CODE	ТҮРЕ	PRICE
500-164	GP NiMH AAA Cell 600mAh x 1	£1.45
500-602	GP NiMH AAA Cell 950mAh x 1	£2.50

NICKEL METAL HYDRIDE RECHARGEABLE AA CELLS a range high quality Ni-MH AA cells. Capacity 1300mAh, Standard charge 16 hours @ 130mA, Fast charge 5 hours @ 325mA. Capacity 2500mAh, Standard charge 16 hours @ 190mA, Fast charge 5 hours @ 400mA. Supplied individually.



CODE	ТҮРЕ	PRICE
501-198	GP NiMH AA Cell 1300mAh x 1	£1.90
501-199	GP NiMH AA Cell 1800mAh x 1	£2.90
501-201	GP NiMH AA Cell 2500mAh x 1	£4.99

NICKEL METAL HYDRIDE RECHARGEABLE C CELLS a high quality Ni-MH C cell. Capacity 2200mAh, Standard charge 14 hours @ 220mA, Fast charge 5 hours @ 550mA. Supplied individually.



CODE	ТҮРЕ	PRICE
500-591	GP NiMH C Cell 2200mAh Battery x 1	£5.99
500-592	GP NiMH C Cell 3500mAh Battery x 1	£8.99

NICKEL METAL HYDRIDE RECHARGEABLE D CELLS a high quality Ni-MH D cell. Capacity 2200mAh, Standard charge 14 hours @ 220mA, Fast charge 5 hours @ 550mA. Supplied individually.



CODE	TYPE	PRICE
500-593	GP Nimh D Cell 2200mAh Battery x 1	£6.99

NICKEL METAL HYDRIDE RECHARGEABLE PP3 CELL a high quality Ni-MH PP3 cell. Capacity 1000mAh, Standard charge 14 hours @ 17mA.



PRICE CODE TYPF GP Nimh PP3 Cell 1000mAh Battery x 1..... £9.99 01-0171

GP PROFESSIONAL SUB C NIMH RECHARGEABLE BATTERY

a range of rechargeable speciality batteries for use in remote controlled Pro Racing Cars, Boats and Planes. Available in high capacity 3300mAh (while stocks last), 4300mAh capacities. Sold individually.

Specification Dims - 23mmØ x 43mm Nominal voltage - 1.2V



CODE TYPE

PRICE 500-797 GP Professional NiMH Sub C Cell 3300mAh...... £11.99 500-794 GP Professional NiMH Sub C Cell 4300mAh...... £15.99

NIMH MEMORY BACKUP BATTERIES for use where batteries can be charged while equipment is in operation. PCB mounting.



CODE	ТҮРЕ	PRICE
500-459	NiMH Memory Backup Battery 3.6v 12mah	£4.99
500-460	NiMH Memory Backup Battery 3.6v 80mah	£4.99

MERCURY NIMH RECHARGEABLE BATTERIES a range of AAA and AA nickel metal hydride rechargeable batteries are especially designed to meet today's consumer needs, suitable for high drain applications such as digital cameras, MP3 players and other portable devices. Ultra high capacity up to 2800mA for AA size (1100mA for AAA size). Excellent high drain performance. Fast charge capability and up to 1000 recharge cycles. No memory effect.



CODE	ТҮРЕ	PRICE
01-0128	Mercury NiMH AAA Cells 700mA Pack of 4	£3.99
01-0132	Mercury NiMH AAA Cells 1100mA Pack of 4	£4.99
01-0120	Mercury NiMH AA Cells 1300mA Pack of 4	£4.99
01-0126	Mercury NiMH AA Cells 2800mA Pack of 4	£9.99


MERCURY GREEN NIMH RECHARGEABLE BATTERIES a range of new generation nickel metal hydride rechargeable batteries equipped with innovative battery technology, is the all-in-one solution to the modern consumer needs of convenience, economy and environmental protection. Ready for instant used upon purchase, good for all applications. Up to 1000 times use and retains its charged capacity up to 80% after 6 months or 70% capacity after 12 months of storage. AAA and AA types available in packs of 4.



PRICE

TYPF CODE

01-0136 Mercury Green NiMH AAA Cells 900mA 4 Pack. £6.99 01-0134 Mercury Green NiMH AA Cells 2200mA 4 Pack. £8.99



INDUSTRIAL SIZE NICKEL METAL HYDRIDE BATTERIES a range of industrial size nickel metal hydride rechargeable cells. The tagged cells are ideal for making up battery packs, the plain cells do not have a raised pip.



Cell	II Capacity Dimensions mm Std Charge R			Rate	
size	(mAh)	Dia. x Height (mm) Weight (g)	for 14 hours	s (mA)
AAAA	500	8.4 x 66.0	10.5	50	
AAA	700	8.4 x 66.0	13	70	
1/3AA	250	14.5 x 16.6	7	25	
2/3AA	600	14.5 x 28.7	13	60	
AA	1300	14.4 x 48.2	25	130	
AA	1700	14.5 x 49.2	27	170	
2/3AF	1000	17.0 x 28.7	22	100	
4/5AF	1800	17.0 x 43.0	32	180	
AF	2500	17.0 x 50.2	39	250	
Sub-C	2200	23.0 x 43.0	55	220	
Sub-C	3000	23.0 x 43.0	61	300	
AAA plain		8.4 x 66.0	13	70	
AA plain	1700	14.5 x 49.2	27	170	
D plain	7000	34.2 x 61.5	155	700	
CODE	TYPE				PRICE
01-0000	GP Ni	/IH AAAA 500mAh	1 Battery x1	Tagged	£2.25
01-0002	GP Ni	/IH AAA 700mAh I	Battery x1 Ta	agged	£1.85
01-0004	GP Ni	/IH AAA 700mAh I	Battery x1 Pl	ain	£1.95
01-0006	GP Ni	/IH 1/3 AA 250mA	h Battery x1	Plain	£1.45
01-0008		/IH AA 1300mAh E			£2.25
01-0010		/IH AA 1700mAh E	•		£2.99
01-0012		/H 2/3AF 1000mA		00	£2.50
01-0014			•		£4.20
01-0016					£2.35
01-0018		/IH AF 2500mAh E			£5.50
	-		•		
01-0020		/H Sub-C 2200m/			£5.60
01-0022	GP NI	/IH Sub-C 3000m/	An Battery X	i i aggeo	£6.90

ReCyko* NiMH Cells a brand new rechargable battery technology that combines the benefits of rechargeable and standard Alkaline batteries. These batteries can be recharged upto 1000 times and are suitable for all applications from low to high drain. The **ReCyko**⁺ batteries have a much greater charge retention capability than ordinary rechargeable batteries - after 6 months a ReCyko* battery will still retain 90% of its charge and after a year 85% will still remain - making them ideal for devices that get intermitant use.

GP ReCyko⁺ NiMH BATTERY CHARGER a compact plug-in charger complete with 4 x AA ReCyko* rechargeable NiMH batteries. Charge batteries in pairs, both AA and AAA can be charge at

the same time. Green LED charging indicators. Only charge NiMH type rechargeable batteries.

Specification

Power supply 230Vac, 50Hz, 10W Output voltage 2.8Vdc Charging current 180mA (AA)/80mA (AAA) Charging Time Approx. 14 hrs (AA/2050mAh). 12 hrs (AAA/820mAh)



CODE TYPE GP ReCyko*NiMH Battery Charger + 4 AA Cells. £29.99 500-852 500-858 GP ReCyko⁺ AAA Cells Pack of 4..... £10.99 500-855 GP ReCyko⁺AA Cells Pack of 4..... £15.99 NIMH ReCyko RECHARGEABLE AA CELLS WITH C & D CON-VERTERS there is now no need to buy a range of different rechargeable batteries, with GP's battery converter you can change your regular AA batteries into either C or D sizes. Supplied with two AA (2100mAh) NiMH ReCyko batteries. Fast and convenient use of C and D cells, convenient charging on AA chargers and reduces battery types stored for consumer use. Ideal for use with digital cameras, MP3 players, torches, portable radios, toys and many more products. Supplied with 2 x AA cells and 2 each C & D Coverters.

Dimensions 85 x 125 x 40mm Capacity 2100mAh Voltage 1.2V Weight 14g



CODE TYPE PRICE 01-0689 GP Recyko AA Cells with C & D Converters x2... £10.99

CYCLON CELLS

CYCLON CELLS a range of high performance 2V cells and 6v monoblocs. Suitable for harsh environments. Fast charging. 15 years design life.



CODE	ТҮРЕ	PRICE
01-0506	Lead Acid Battery 2v 2.5ah D Cell	£10.99
01-0507	Lead Acid Battery 2v 4.5ah TD Cell	£12.99
01-0508	Lead Acid Battery 2v 5ah X Cell	£15.99
01-0510	Lead Acid Battery 2v 25.ah BC Cell	£49.99
01-5110	Lead Acid Battery 6v 2.5ah Monobloc	£19.99
01-0512	Lead Acid Battery 6v 5ah Monobloc	£25.99
01-0513	Lead Acid Battery 6v 8ah Monobloc	£35.99

PRODUCT CODES

PLEASE NOTE IT IS VERY IMPORTANT TO USE THE CORRECT PRODUCT CODE FOR THE ITEMS YOU WISH TO ORDER

IT IS VITAL TO INCLUDE THE PUNCTUATION IN THE CODE AND TO FORMAT THE CODE AS SHOWN IN THE CATALOGUE

POST FREE DELIVERY ON ALL ORDERS WITHIN THE UNITED KINGDOM **MINIMUM ORDER VALUE £15.00**

> You may mix your order from ANY of our catalogues

PRICE

PRICE

BATTERY CHARGERS

4-WAY BATTERY CHARGER a compact, plug-in battery charger that can charge any standard AA or AAA Ni-Cd/Ni-MH re-chargeable batteries. It can charge 2

or 4 batteries at one time. Batteries not included.

Specification Input......230Vac 50Hz Output.....200mA Dims...102 x 48 x 50mm



4-WAY ENERGY EFFICIENT BATTERY CHARGER this compact, energy efficient battery charger can charge any standard AA or AAA Ni-Cd/Ni-MH re-chargeable batteries. It also features a USB output socket to charge devices such as iPods, PSPs and mobile phones etc. with an output upto 700mA for minimum charge time. It has a compact design and uses 25% less power compared to standard chargers. The materials used and manufacturing process are more environmentally friendly. It can charge 2

or 4 batteries at one time. Batteries not included.

Specification

USB Output.....700mA (Max) Output.....AAA/AA 150mA Input. /100-240Vac, 50/60Hz Dims.....108 x 50 x 48mm



CODE	ТҮРЕ	PRICE
01-0184	4-Way Energy Efficient Battery Charger	£8.99

4-WAY DESKTOP FAST BATTERY CHARGER this 4-way desktop, fast battery charger can charge any standard AA or AAA Ni-Cd/Ni-MH re-chargeable batteries. It features an LCD display to indicate the charge status of each battery. This desktop unit only takes 1-2 hours to completely charge the batteries and comes complete with power supply. It can charge 1-4 batteries at a time. Batteries not included.

Specification Input.....100-240Vac 50/60Hz Charging current AA...800mA Charging current AAA.300mA Dims......130 x 75 x 35mm Charger weight: 109g Power supply weight: 75g



CODE	ТҮРЕ	PRICE
01-0186	4-Way Desktop Fast Battery Charger	£25.99

POST FREE DELIVERY ON ALL ORDERS WITHIN THE UNITED KINGDOM **MINIMUM ORDER VALUE £15.00**

You may mix your order from ANY of our catalogues

UNIVERSAL BATTERY CHARGER WITH DISCHARGER a universal charger suitable for charging Ni-cad cells and Nickel Metal Hydride (Ni-Mh) cells. It has a discharge facility which helps to eliminate the memory effect of Ni-cads. It also has a test facility for checking battery condition. It will charge 1 - 4 cells of AAA, AA, C, D and 1 PP3, individually or in a group, the charger automatically selects the correct charge rate for the cells inserted. Charging times are dependant on cell capacity. Ni-Cads:- AAA 2 - 5hrs, AA 5 - 8hrs, C 10 - 20hrs, D 12 - 25hr, PP3 5 - 11hrs. Ni-Mh:- AAA 6 - 10hrs, AA 10 - 20hrs, C 15 - 25hrs, D 20 - 30hr, PP3 8 - 15hrs.



CODE TYPE PRICE 501-150 Uni Ni-Cd/Ni-Mh Battery Charger with Discharge £11.99

GP® POWER BANK UNIVERSAL NIMH BATTERY CHARGER a stylish ultra high capacity charger for NiMH D/C/AA/AAA/9V battery types. The charger has automatic charging current selection with 2 Charging channels for AA/AAA/C/D batteries and 1 for 9V batteries. LED indicate charging channels. Charges 2 or 4 pcs AA/AAA/C/D and 1-2pcs PP3 (9V). Supplied with plug-in AC adaptor Charging time 5 - 21hours dependent on capacity. Dimensions 178 x 97 x 58mm. Batteries not supplied.



	Power supply		۱
	Power supply Output voltage	2 x 2.8V and 2 x 9Vdc)
	Charging currentsA		
	C 440mA	A. D 560mA. PP3 14mA	
CODE	TYPE	,, -	PRICE
			~~~ ~~

501-618 GP Power Bank Universal NiCd/NiMH Charger... £27.99

GP® AUDIO POWER BANK NIMH PRISMATIC/AA CHARGER a

plug in ultra high capacity charger for NiMH Prismatic or AA type rechargeable batteries. Charges 1 to 2 Prismatic or AA cells. Minus delta voltage cutoff (-dV) with safety timer and 2 LED Indicators. Supplied with 2 x 1450mAh Prismatic batteries. **Available while stocks last.**



Power supply......230Vac, 50Hz Charging current.....700mA Charging time: Prismatic x 1..2 hours (1450mAh) Prismatic x 2..4 hours (1450mAh) AA x 1......2 hours (1600mAh) AA x 2......4 hours (1600mAh) CODE TYPF PRICE 501-100 GP Aud P/Bank Charger for NiMH Prismatic/AA.. £36.99

#### USB BATTERY CHARGER a small handy device that connects

into any USB 2.0 port on a PC/Laptop. It charges 2x AA or AAA NiMH batteries, 1 to 2 hours charging time.Auto cut-off safety control to prevent overcharging. Foldable USB plug, dual colour LED Compact and portable,Supplied with 2 x AA (NiMH) 2300mAh batteries



CODE	ТҮРЕ	PRICE
01-0580	USB Battery Charger	£19.99

#### **MOBILE PHONE CHARGERS**

**UNIVERSAL 10-IN-1 MOBILE PHONE IN CAR CHARGER KIT** a universal in-car charger kit with 9 connector plugs, compatible with most mobile phones. Lightweight and compact, short-circuit and reverse current protection

Input voltage 12 - 24Vdc Output current 600mA max. Dims 90 x 30 x 46mm



CODE TYPE PRICE 01-1034 Universal 10-in-1 In-Car Phone Charger Kit...... £9.99

**UNIVERSAL 10-IN-1 MOBILE PHONE CHARGER KIT** a universal mains powered charger kit with 9 connector plugs, compatible with most mobile phones. Lightweight and compact, short-circuit and reverse current protection

Input voltage 100 - 240Vac Output 3 - 12Vdc @ 650mA max. Dims 55 x 50 x 70mm



CODE TYPE PRICE 01-1035 Universal 10-in-1 In-Car Phone Charger Kit.......£12.99

**ENERGY EFFICIENT MOBILE CHARGER KIT 2000mA** a compact mobile charger kit with power supply includes 4 detachable input plugs making it usable in most countries around the world. Its output of 5.2Vdc@2000mA and the included 4-in-1 universal charging cable makes it ideal for charging most updated mobiles (supplied adaptors: Micro USB, Mini USB, iPod, nokia, female USB connections). Will charge up to 4 units at the same time.



 CODE
 TYPE
 PRICE

 01-0731
 Energy Efficient Mobile Charger Kit 2000mA...... £22.99

### NIMH RACE PACKS

**GP NIMH RACING PACKS** a range of 7.2V Nickel Metal Hydride racing packs with 3000mAH or 3700mAh capacities. Note to charge these

packs a charger suitable for NiMH cells is required listed below.



CODE	TYPE	PRICE
500-031	GP NiMH Battery Race Pack 3000mAh	£24.99
500-199	GP NiMH Battery Race Pack 3700mAh	£39.99
501-014	Ansmann Over Night Charger 7.2V AC14	£9.99
501-016	Ansmann Fast Charger 7.2V AC30	£29.99

#### DELTA PEAK SMART CHARGER

**DELTA PEAK SMART CHARGER** a universal smart charger for use with Ni-Cd and Mi-Mh battery pack of 4.8V - 10.8V with capacities greater than 100mAh. Delta peak charging technology detects the slight temperature change at the end of charging and will switch the charge current off. Charge time 1.5 hours for 2000mAh packs, 3 hours for 3000mAh packs.



CODETYPEPRICE501-015Delta Peak Smart Charger Ni-Mh/Ni-Cd......£25.99

### BATTERY PACK CONNECTORS

RADIO CONTROLLED BATTERY PLUG AND SOCKET Tamiya style connectors ideal for radio controlled models. Pre-wired with

easy fit crimp connectors. Available either male or female

		-	-	
1	/		-	A COLOR
			and the second se	
1	1			
11	11			
1	10			

CODE	ТҮРЕ	PRICE
01-3970	Radio Controlled Plug	£2.50
01-3972	Radio Controlled Socket	£2.50

**7.2V PLUG & SOCKET** an un-assembled 7.2V plug and socket for connecting battery packs.



CODE	TYPE	PRICE
CON039	7.2V Plug & Socket	£1.99

**7.2V PLUG & SOCKET WITH LEADS** an assembled 7.2V plug and socket for connecting to battery packs. Lead length 240mm approx (both male and female).

CODE	ТҮРЕ	PRICE
CON038	7.2V Plug & Socket with Leads	£2.75

#### **TELEPHONE BATTERY PACKS**

#### **CORDLESS PHONE RECHARGEABLE NIMHBATTERY PACK a**

rechargeable battery pack for cordless phones, fitted with universal connectors to fit many makes of phone. 3.6V, capacity 300mAh, dimensions 42 x 30 x 14mm.



CODE TYPE PRICE 502-193 NiMH Rechargeable Battery Pack (T157)..... £5.99

CORDLESS TELEPHONE BATTERIES a rechargeable battery pack with solder tags.



Technical Specification:- Order code Voltage Capacity(mAh)			No of cells	Dimensions W x H x Thickness	
500-200	3.6	720	3 x AA	43 x 50 x 14mn	า
CODE	TYPE				PRICE
500-200	) Cordless	Telephone	e Battery 3 x A	λA	£7.50

CORDLESS PHONE BATTERY PACK 3x NiMH coin cells. 3.6v 320 mAh. Dims:-

Width 47mm, Thickness 9mm.



TYPE CODE PRICE 502-406 Cordless Phone Battery..... £6.99

CORDLESS PHONE BATTERY PACK 2x NiMH cells with universal connector. 2.4V, 170mAh.

Dims:- 16.6 x 21.32 x 10.6mm



CODE TYPE 01-0478 GP NiMH Battery 2.4v 170mAh..... £8.99

PRICE

CORDLESS PHONE BATTERY PACK NiMH cellsa with universal connector 2.4V. 270mAh.

Dims:- 22.5 x 20 x 10.5mm.



CODE TYPF PRICE 01-0481 GP NiMH Battery 2.4v 270mAh..... £7.99

### **BATTERY TESTERS**

BATTERY TESTER a handy battery tester suitable for AAA, AA, C, D, PP3 and 3R12 size batteries. Dims 52 x 55 x 22m.



CODE	ТҮРЕ	PRICE
72090	Battery Tester 72090	£3.99

### MINIATURE BATTERY TESTER a compact hand held universal

battery tester on a key chain. 3 LED's indicate the battery condition and by employing a slide mechanism most sizes of dry cells can be checked, including AAA, AA, C, D, PP3 and button cells and some sub-size cells.



	Case-Case - Case	
CODE	TYPE	PRICE
01-7021	Pocket Battery Tester	£3.50

UNIVERSAL BATTERY TESTER a handy battery tester with an

easy to read display. The tester measures the batteries under load thus indicating accurately their state. Suitable for 1.5V, 9V cells and 1.5V button cells.



CODF TYPF 500-393 Universal Battery Tester..... £3.99

PRICE

PRICE

**BATTERY TESTER** a compact battery tester capable of testing most of the popular dry cell types under actual load conditions.

The easy to read meter will indicate the condition of the cell at a glance. Tests:- PP3 (9V) cells, AAA, AA, C and D (1.5V) cells, 4SR44 and 4LR44 (6V) cells and 1.5V button cells. It also tests the equivalent Ni-cad types.



CODE TYPE BTBU06 Battery Tester..... £5.99

UNIVERSAL BATTERY TESTER WITH LCD READOUT a multipurpose battery condition checker with LCD to indicate status. Tests digital camera batteries: CR123A, CR2, CR-V3, 2CR5 & CR-P2. Suitable for AAA, AA, C, D and 9V types, tests 1.5V and 3V button cells .

Specification Power supply 1.5Vdc (1 x AAA) Dimensions 118 x 88 x 23mm Weight 100g



CODE TYPE PRICE 500-204 Universal Batter Tester with LCD Readout......£12.99

#### BATTERY HOLDERS

1 X N BATTERY HOLDER solder tag terminals. L35 x W13 x D12.5mm.

CODE	TYPE	PRICE
500-500	Battery Holder N x 1	£0.35

1 X AAA BATTERY HOLDER solder tag terminals. L50_x W13 x D12mm.

Έ	CODE	ТҮРЕ	PRICE
99	500-505	Battery Holder AAA x 1	£0.35

378

2 X AAA BATTERY HOLDER side by side, solder tag terminals. L52 x W24 x D15mm.	<b>4 X AA BATTERY HOLDER</b> square. L57 x W30 x D28mm.
CODE         TYPE         PRIC           BHAAA2         Battery Holder AAA x2	CODE TYPE PRICE
BATTERY HOLDER 2 X AAA, WIRE LEADS side by side wi wire leads. L35 x W13 x D12.5mm.	h BHAAS4 Battery Holder AA x4 Square£0.50 4 X AA BATTERY HOLDER 2 x 2. L105 x W24 x D15mm.
6 Chur to	
CODETYPEPRIC500-464Battery Holder AAA x2 with Wire Leads£0.3	
<b>4 X AAA BATTERY HOLDER</b> side by side, solder tag terminals. L52 x W26 x D25mm.	CODE TYPE PRICE BHAAL4 Battery Holder AA x4 Long £0.50
CODE         TYPE         PRIC           BHAAA4         Battery Holder AAA x4	
1 X AA BATTERY HOLDER solder tag terminals. L57 x W16 D16mm.	x
CODETYPEPRIC500-510Battery Holder AA x 1	
BATTERY HOLDER 1 X AA, WIRE LEADS a 1 x AA battery hole er with wire leads. Dimensions L59, W16.5, D14.5mm.	panel mounting battery box, for 9V applications where a 9V PP3 battery would have insufficient capacity. Clip-fits into panel
500-905 1 x AA Battery Holder with Wire Leads £0.3 2 X AA BATTERY HOLDER side by side. L57 x W26 x D17mm.	opprov 1mm thick out out of
	CODE         TYPE         PRICE           500-267         Chassis Mount Battery Box 6 x AA £1.45
CODE     TYPE     PRIC       BHAA02     Battery Holder AA x2	
BATTERY HOLDER 2 X AA, WIRE LEADS a 2 x AA battery hole er side by side with wire leads. Dimensions L58, W25, D17mm.	
CODE TYPE PRIC	CODE TYPE PRICE BHAA08 Battery Holder AA x8 £0.99
500-907 2 x AA Battery Holder with Wire Leads £0.3	
3 X AA BATTERY HOLDER side by side. L57 x W49 x D17mm.	
CODETYPEPRICBHAA03Battery Holder AA x3	5 CODE TYPE PRICE
4 X AA BATTERY HOLDER side by side. L58 x W60 x D16mm.	PRODUCT CODES PLEASE NOTE - IT IS VERY IMPORTANT TO USE THE CORRECT PRODUCT CODE
CODE TYPE PRIC BHAAF4 Battery Holder AA x4 Flat £0.5	

D30mm.



PRICE CODF TYPF 500-000 Battery Holder AA x10..... £1.35

1 X C BATTERY HOLDER solder tags, L62 x W30 x D22mm.



CODE	TYPE	PRICE	
01-0028	Battery Holder C x1 Solder Tags	£0.45	

2 X C BATTERY HOLDER side by side. L54 x W54 x D22mm.



CODE I	TPE	PRICE
BHC002 B	attery Holder C x2	£0.65

4 X C BATTERY HOLDER side by side x 2. L106 x W54 x D23mm.



CODE	ТҮРЕ	PRICE
BHC004	Battery Holder C x4	£0.85

**6 X C BATTERY HOLDER** side by side x 3, solder tag, L160 x W58 x D25mm.



CODE PRICE TYPE 500-520 Battery Holder C x6..... £1.50

1 X D BATTERY HOLDER solder tag, L69 x W36 x D27mm.



CODE PRICE TYPE 500-525 Battery Holder D x1..... £0.55

2 X D BATTERY HOLDER side by side. L68 x W68 x D30mm.



CODE	ТҮРЕ	PRICE
BHD020	Battery Holder D x2	£0.75

10 X AA BATTERY HOLDER 5 x 2 snap terminals. L59 x W76 x 3 X D BATTERY HOLDER side by side solder tag. L100 x W71 x D27mm.



4 X D BATTERY HOLDER side by side x 2. L132 x W68 x D30mm.



CODE PRICE TYPF BHD040 Battery Holder D x4..... £0.99

4 X D BATTERY HOLDER solder tag connections, L140 x W71 x D27mm.



CODE TYPE

500-247 Battery Holder D x4 Solder Tag..... £1.50

BATTERY BOXES WITH COVERS a range of black ABS enclosed AAA and AA size battery boxes with detachable lids.

The lids may be secured with the small screws provided. Terminated in red and black stranded 26AWG wires approx 150mm long. Some models are fitted with a miniature on/off switch wired into the black (negative) wire.

#### PRICE CODE TYPE 500-249 Battery Box with Cover 2 x AAA with switch...... £1.05 500-251 Battery Box with Cover 3 x AAA with switch..... £1.25 500-253 Battery Box with Cover 4 x AAA with switch...... £1.65 500-256 Battery Box with Cover 2 x AAA ..... £1.00 500-257 Battery Box with Cover 3 x AAA ..... £1.15 500-259 Battery Box with Cover 4 x AAA ..... £1.25 500-261 Battery Box with Cover 2 x AA with switch..... £1.10 500-263 Battery Box with Cover 3 x AA with switch..... £1.60 Battery Box with Cover 4 x AA with switch..... £1.65 500-264 Battery Box with Cover 2 x AA..... £1.00 500-245 500-560 Battery Box with Cover 3 x AA..... £1.50 Battery Box with Cover 4 x AA..... £1.55 500-266

PCB MOUNTING BATTERY HOLDER 1 x N PCB mounting battery holder for 1 x N cell. Moulded in black thermoplastic and ncorporates PCB pin terminations and clear marking

for battery orientation. Dim 13 x 12.5 x 35mm.



PRICE CODE TYPE PCB Mounting Battery Holder 1 x N..... £0.35 500-545

BATTERY HOLDER 1 X N, WIRE LEADS L35 X W13 X D12.5mm.

Battery Holder N x1 with Wire Leads..... £0.45

380

TEL. 01243 842424 FAX. 01243 842525

CODE

500-462

TYPE

PRICE

#### PCB MOUNTING BATTERY HOLDER 1 x AAA a PCB mounting

battery holder for 1 x AAA cell. It is moulded in black thermoplastic and incorporates PCB pin terminations and clear marking for battery orientation. Dimensions 13 x 12 x 50mm.



CODF TYPF 500-215 PCB Mounting Battery Holder 1 x AAA..... £0.45

PCB MOUNTING BATTERY HOLDER 2 x AAA a PCB mounting


battery holder for 2 x AAA cells. It is moulded in black thermoplastic and incorporates PCB pin terminations and clear marking for battery orientation. Dimensions 25 x 13 x 53mm.



#### CODE TYPE

PRICE 500-220 PCB Mounting Battery Holder 2 x AAA..... £0.50

PCB MOUNTING BATTERY HOLDER 3 X AAA side by side. L40 x W12 x D53mm.



PCB MOUNTING BATTERY HOLDER 4 x AAA a PCB mounting battery holder for 4 x AAA cells. It is moulded in black thermoplastic and incorporates PCB pin

terminations and clear marking for battery orientation. Dimensions 50 x 12 x 53mm.



CODE TYPF PRICE 500-550 PCB Mounting Battery Holder 4 x AAA..... £0.85

BATTERY HOLDER HALF AA PCB MOUNTING a rectangular

battery holder suitable for 2AA-2P type batteries. Holds 1 Cell, PCB mount, can be screwed into position. Open style.

CODF TYPF

Battery Holder Half AA PCB Mount..... £0.35


01-0154

PCB MOUNTING BATTERY HOLDER 1 x AA a PCB mounting

battery holder for 1 x AA cell. It is moulded in black thermoplastic and incorporates PCB pin terminations and clear marking for battery orientation. Dimensions 16 x 13 x 57mm.



500-225 PCB Mounting Battery Holder 1 x AA..... £0.35



incorporates PCB pin terminations and clear marking for battery orientation. Dimensions 32 x 16 x 58mm.

PRICE CODE TYPE 500-230 PCB Mounting Battery Holder 2 x AA..... £0.40

### PCB MOUNTING BATTERY HOLDER 3 x AA a PCB mounting

battery holder for 3 x AA cells. It is moulded in black thermoplastic and incorporates PCB pin terminations and clear marking for battery orientation. Dimensions 48.5 x 17 x 58mm.



#### CODE TYPE

500-555 PCB Mounting Battery Holder 3 x AA..... £0.70

PRICE

PCB MOUNTING BATTERY HOLDER 4 x AA a PCB mounting battery holder for 4 x AA cells. It is moulded in black thermoplastic and incorporates PCB pin terminations and clear marking for battery orientation. Dimensions 62 x 16 x 58mm.



CODE	ТҮРЕ	PRICE
500-235	PCB Mounting Battery Holder 4 x AA	£0.75

PCB MOUNTING BATTERY HOLDER 1 x PP3 a PCB mounting

battery holder for 1 x PP3 cell. It is moulded in black thermoplastic and incorporates PCB pin terminations and clear marking for battery orientation. Dimensions 31 x 20 x 55mm.



CODE TYPE

CODE

PRICE

PRICE

500-240 PCB Mounting Battery Holder 1 x PP3..... £0.65

### BATTERY HOLDER PP3 WITH FLYING LEADS a 9V battery

holder with 150mm leads. Male/female snap-in terminals for positive contact and correct polarity, positive and negative legends are clearly marked. Moulded from black thermoplastic to withstand severe sho Incorporates screw f

lock and vibration. fixing holes.		
	-	PRICE

01-0162 Battery Holder PP3 with Flying Leads..... £0.90

BATTERY HOLDER PP3 ENCLOSED this battery holder has a slide top for easy access with a firm snap closing action. The internal battery contacts are connected to two steel nickel plated contacts with solder lug terminals for

easy and quick connection. Ideal for projects/backup power applications. Use with standard PP3 9V battery. Supplied in black polycarbonate with steel nickel plated contacts with solder lug terminals. Dims: 54(L) x 34(W) x 23(D)mm (not including front).




CODE TYPE PRICE 01-0295 Battery Holder PP3 Enclosed..... £2.99

CR123A PCB MOUNT BATTERY HOLDER a rectangular battery holder suitable for CR123A type batteries. 1 Cell, PCB mount, can be screwed into position. Open style solder tags, L50 x W50 x D13mm.

CODE	TYPE
01-0034	Battery Holder CR123A

PRICE £0.50



#### BATTERY SNAPS

BATTERY SNAP CONNECTORS for use with PP3 and PP6 batteries and battery holders. 2 types:- standard and moulded version. Colour coded 150mm leads. CODE TYPE PRICE BSN010 PP3 Battery Snap..... £0.20 BSN020 Moulded PP3 Battery Snap..... £0.30 BATTERY SNAP CONNECTOR a heavy duty battery clip with the wires entering the cover at the side. The cover is moulded in ABS. The colour coded leads are stripped with tinned ends, length 150mm. Suitable for use with PP3, PP6 and battery holders. CODE TYPE PRICE Moulded PP3 Battery Snap -Side Entry..... £0.30 500-565 PP9 BATTERY SNAP CONNECTOR a twin "mouse type" battery snap to suit PP1 and PP9 type batteries. Lead length 100mm. CODE TYPE PRICE 500-570 Moulded PP9 Battery Snap..... £0.50 PROTECTIVE BATTERY CAP fits on 9v battery pack. Covers both male and female contacts. Protects battery contacts from dirt, dust and contamination. PRICE CODE TYPE 01-0099 Protective Battery Cap..... £0.35 BATTERY PRESS-STUD CONNECTORS suitable for use with PP9 batteries. Fitted with large stud type connectors that can be crimped or soldered to the wire. PRICE CODE TYPE 01-0102 Battery Press-Stud Connector..... £1.05 Battery Socket Connector..... £1.05 01-0104 **BATTERY CLIPS** SNAP-IN BATTERY CLIPS a range of battery clips which securely hold the battery and connect directly to the PCB. Various sizes of battery can be accommodated including fractional sizes by varying the distance between the clips. Suitable for A,AA,AAA and N Sizes. Supplied in pairs. CODE TYPE PRICE Snap-In Battery Clip AAA/N Pack of 2..... £1.15 500-250 500-255 Snap-In Battery Clip A/AA Pack of 2..... £1.15 BATTERY SPRING CONTACTS spring contacts for AA, A, C and D sized batteries. The contacts are made from nickel plated spring steel and are easy to assemble into cases/holders with eyelets or rivets. Sold individually. CODE PRICE TYPE Battery Spring Contact AA/A Single..... £0.18 500-305 500-310 Battery Spring Contact C/D..... £0.35

**BATTERY CONTACTS** a range of snap-on contacts, ideal for moulded cases with self contained battery compartments. Single and dual types are available for single or series battery configurations. The spring tension ensures low contact resistance and adjusts to variations in battery length. The contacts snap on to panel edges or lugs from 1.5 to 1.8mm thickness and are retained in position by barbs. The design incorporates a solder 'ear' to facilitate soldering of wire leads. Suitable for A,AA,AAA,AAAA and N Sizes. For A and AA types a separate single contact is available with a raised ring to locate with the raised positive 'pip'. Sold individually.

CODE	TYPE	PRICE
500-280	Battery Contact Single AAA/AAAA/N	£0.46
500-285	Battery Contact Dual AAA/AAAA/N	£0.72
500-290	Battery Contact Single A/AA	£0.54

**PCB BATTERY CONTACTS** battery clips for 9V batteries which mount directly into the PCB, helping to cut costs by eliminating wiring. Two types are available allowing the battery to be mounted on the surface of the PCB or to be mounted beside the PCB when height is a consideration. Supplied individually.

CODE	TYPE	PRICE
500-260	PCB Battery Contact 9V On-Board +ve	£0.30
500-265	PCB Battery Contact 9V On-Board -ve	£0.30
500-270	PCB Battery Contact 9V Beside-Board +ve	£0.23
500-275	PCB Battery Contact 9V Beside-Board-ve	£0.23

**SLOT IN BATTERY CONTACTS** a range of AA size nickel plated battery contacts. Designed to fit into moulded slots in an enclosure. A dished positive contact, sprung negative contact or a dual contact to connect

two cells in series.



#### CODE T

CODE

TEL. 01243 842424

500-048

CODE	IYPE	PRICE
500-469	Slot In Battery Contact AA+ve Button	£0.36
500-470	Slot In Battery Contact AA-ve Spring	£0.72
500-472	Slot In Battery Contact AA Dual	£1.15

SPRING HOLDER CLIP FOR PP3 BATTERIES A spring metal

clip for physically holding PP3			
batteries. Single M3 fixing hole.			
Dimensions:- 24 (w) x 26 (h)			
x 17mm (d).			

	22

CODE	ТҮРЕ	PRICE
500-271	Spring Holding Clip for PP3 Battery	£0.38

### BATTERY SOLDER TAGS

BATTERY SOLDER TAGS a pack of battery solder tags, used for

constructing and repairing	
rechargeable battery packs.	0
Supplied in packs of 10 tags.	
	0
	0

TYPE

FAX. 01243 842525

gs.	0.000	0
	0 0 0	
		PRICE
_		

Battery Solder Tags Pack of 10..... £3.65

382

#### SEALED LEAD ACID BATTERIES

SLA BATTERY 2V 4Ah a high quality Sealed Lead Acid battery, dimensions 46 x 100 x 25mm.

A charger is available see below.

CODE

TYPE 501-040 SLA Battery 2V 4Ah..... £7.99

PRICE

SLA BATTERIES a range of top quality Sealed Lead Acid Batter-

ies, low self discharge giving long shelflife, state of the art design and manufacture for maximum efficiency. A range of chargers are available listed below.



#### CODF TYPF

PRICE 501-041 SLA Battery 6V 3 Amp 59 x 133 x 34mm...... £13.99 501-042 SLA Battery 6V 4 Amp 100 x 70 x 45mm..... £12.99 SLA Battery 6V 12 Amp 93 x 150 x 49mm...... £19.99 501-043 SLA Battery 12V 7.2 Amp 94 x 150 x 64mm...... £19.99 501-046

POWERSONIC SLA BATTERIES a range of maintenance free sealed rechargeable lead acid batteries. No leak/spill proof construction allows safe operation in any position. Rugged ABS plastic case and cover, heavy duty no corrosion terminals, greater vibration resistance. Lower self discharge. Approved for transport by air. D.O.T., I.A.T.A., F.A.A. and C.A.B. certified. UL recognised.



	Capacity	Discharg	le			
	20 hours	20 hours	Dims(mm) V	Veight	P/Sonic	Squires
Voltage	(AH)	(mA)	L x W x H	(kg)	Code	Code
6V	1	50	51 x 42 x 51	0.3	PS-610	01-1700
6V	1.3	65	97 x 24 x 51	0.3	PS-612	01-1701
6V	3	150	134 x 34 x 60	0.7	PS-630	01-1702
6V	4.5	225	70 x 48 x 102	0.9	PS-640	01-1703
6V	5	250	67 x 67 x 96	0.9	PS-650	01-1704
6V	7	350	151 x 34 x 94	1.4	PS-670	01-1705
6V	8	400	99 x 56 x 118	1.5	PS-682	01-1706
6V	12	600	151 x 51 x 95	2.1	PS-6100	01-1707
12V	1.2	60	97 x 42 x 51	0.6	PS-1212	01-1709
12V	3.4	250	90 x 70 x 102	1.9	PS-1230	01-1711
12V	4.5 7	250	90 x 70 x 101	1.7	PS-1242	01-1712
12V		350	151 x 65 x 94	2.6	PS-1270	01-1713
12V	12 17	600	151 x 98 x 94	4.1	PS-12120	
12V	24	900	181 x 76 x 167	6.4	PS-12170	
12V CODE	TYPE	900	166 x 175 x 125	9.0	PS-12240	PRICE
-						
01-1700			Battery 6V 1.0			
01-1701			Battery 6V 1.3			
01-1702			Battery 6V 3.0			
01-1703			Battery 6V 4.5			
01-1705	Powers	onic SLA	Battery 6V 7.0.	AH		. £17.99
01-1706	Powers	onic SLA	Battery 6V 8.0.	AH		. £22.99
01-1707	Powers	onic SLA	Battery 6V 10.	0AH		. £24.99
01-1709	Powers	onic SLA	Battery 12V 1.	2AH		. £15.35
01-1711			Battery 12V 3.			
01-1712			Battery 12V 4.			
01-1713			Battery 12V 7.			
01-1714			Battery 12V 12			
01-1715			Battery 12V 17			
01-1716			Battery 12V 24			
01 1/10	1 0 00 013					. 200.00

#### SEALED LEAD ACID BATTERY CHARGERS

6/12V LEAD ACID BATTERY CHARGER a plug-in charger designed for use with 6V or 12V lead acid batteries. Suitable for

charging up to 5Ah batteries. Output voltage selected with slide switch, supplied with a detachable 2.1mm DC power plug and a flylead with crocodile clips. Reverse polarity and over-current protection.

#### Specification

Input voltage 230Vac, 50Hz Output voltage 6/12Vdc Max. current 500mA Dimensions 80 x 56 x 55mm Weight 359g



TYPE PRICE 500-003 6/12V Lead Acid Battery Charger..... £9.99

SEALED LEAD ACID BATTERY CHARGERS a range of chargers specially designed for charging sealed lead acid batteries. The chargers are supplied with clips which plug directly to the battery

terminals. The charger will detect when the battery is fully charged and then switch to a trickle charge. When the unit is disconnected it will automatically revert to full charging when the next battery is connected. Available in 2V, 6



6V & 12 V types.		
YPE		PRICE
Sealed Lead Acid B	attery Charger 2V	£13.99
Sealed Lead Acid B	atterv Charger 6V	£13.99

500-057	Sealed Lead Acid Battery Charger 2V	£13.99
500-058	Sealed Lead Acid Battery Charger 6V	£13.99
500-059	Sealed Lead Acid Battery Charger 12V	£13.99

SEALED LEAD ACID BATTERY CHARGER a charger for charging 2V, 6V and 12V sealed lead acid batteries with capacities of

2.2 - 10 amps. The charger detects when a full charge capacity is reached and will automatically switch to a trickle charge. The charger is short-circuit and wrong polarity protected.



CODE TYPE PRICE 501-056 Sealed Lead Acid Battery Charger 2/6/12 Volt..... £24.99

#### CAR BATTERY CHARGERS

AUTOMOTIVE TRICKLE CHARGER a low cost compact 500mA

constant output plug-in charger. Suitable for most 12V automotive batteries. Fitted with crocodile clips and 1.6m cables.



PRICE CODE TYPE 640-197 S/L Automotive Trickle Charger 12V..... £7.50

DRAPER BATTERY MASTER a plug-in charger designed to be left connected to automotive type batteries for extended periods of

time. It will maintain the battery in a fully-charged ready-to-go state. Fitted with crocodile clips, in-line fuse and 4M of cable. Output 12Vdc @ 300mA. Suitable for use with 30 - 140Ah batteries.



CODE	ТҮРЕ	PRICE
63147	Battery Master 12V	£26.99

DRAPER BATTERY CHARGER 12V 4.5A a 12V 4.5A battery charger for workshop and home use. It features LED battery condition tester, LED charging status display, ± polarity inversion protection, thermal overload safety protection and insulated copper leads and battery clips. Suitable for conventional lead acid batteries only.

Specification Charging output 12V Input-single phase 230V AC Charging steps 1 Av. charging current EN60335 3A Effective charging current (12V) 4.5A Dim 140 x 130 x 72mm Weight 1.5kg



#### PRICE CODE TYPE 72848 Draper Battery Charger 12V 4.5A..... £30.99

6V/12V BATTERY CHARGER & TESTER 4.5A ideal for workshop and home use, featuring 6V and 12V battery voltage setting. Features also include LED battery condition tester, LED charging status display, ± polarity inversion protection and thermal overload

safety protection. Insulated copper leads and battery clips. Suitable for conventional lead acid batteries ONLY.



	Specification:	
	Charging output6/12V	
	Input-single phase230V AC	
	Charging steps1	
	Av. charging current EN603353A	
	Effective charging current (12V)4.5A	
	Dimensions140 x 130 x 72mm	
CODE	TYPE	PRICE
66802	Battery Charger & Tester 6V/12V 4.5A	£44.99

### **PRODUCT CODES PLEASE NOTE - IT IS VERY IMPORTANT** TO USE THE CORRECT PRODUCT CODE FOR THE ITEMS YOU WISH TO ORDER

IT IS VITAL TO INCLUDE THE PUNCTUATION IN THE CODE AND TO FORMAT THE CODE AS SHOWN IN THE CATALOGUE

12V BATTERY CHARGER & TESTER 6A ideal for workshop and home use, featuring 6A fast charge setting, LED battery condition tester, LED charging status display, ± polarity inversion protection

and thermal overload safety protection. Insulated copper leads and battery clips. Suitable for conventional lead acid batteries ONLY. Specification:

	Charging output	12V
	Input-single phase	230V AC
	Charging steps	2
	Av. charging current EN60335	4A
	Effective charging current (12V)	
	Dimensions140 x	130 x 72mm
CODE	TYPE	PRICE
66799	Battery Charger & Tester 12V 6	A£46.99

12V INTELLIGENT BATTERY CHARGER 6A ideal for workshop and home use. It is fully automatic with temperature sensor compensation and continuous adjustment of unsupervised charging. Maintains battery in a 100% fully charged state. 6A charge setting. Other features include LED charging status display, ± polarity inversion protection, audible polarity protection and thermal over-

load safety protection. Insulated copper leads and battery clips. Suitable for conventional lead acid, maintenance-free and gel filled batteries.



	Specification:		
	Charging output	12V	
	Input-single phase	230V AC	
	Charging steps	2	
	Av. charging current EN60335	4A	
	Effective charging current (12V)	6A	
	Dimensions184 x 11	2 x 86mm	
CODE	TYPE	PI	RICE
66806	Intelligent Battery Charger 12V 6A.	£6	69.99

### BATTERY TEST

BATTERY HYDROMETER for topping up and testing density of hattery electrolyte

It has a gl PVC bulb		
CODE	ТҮРЕ	PRICE
61792	Battery Hydrometer 1.15 - 1.30g/ml	. £6.99

BATTERY AND ALTERNATOR ANALYSER used for checking battery charge level and alternator output level. It is fitted with 880mm of insulated cable with test probe, the earth lead is fitted with a crocodile clip. For 12V DC systems only. Warning:- For

testing DC circuits on cars within the voltage range only. Not suitable for testing mains supply AC circuits.



CODF TYPF PRICE 36584 Battery and Alternator Analyser.....£12.99