
CONNECTORS - SINGLE POLE








SOLDER TAGS



CRIMP CONNECTORS



CRIMPING TOOLS



BOOTLACE FERRULES 2127 CABLE SPLICES 2128 CRIMP CONNECTORS 2126 - 2127 CRIMPING TOOLS 2127 - 2128 CROCODILE CLIPS 2124 CROCODILE LEADS 2124 HEAT SHRINK SLEEVING 2128 MAG TAGS 2124 MINIATURE PLUGS & SOCKETS 2125 MINIATURE PROBES 2124 **PUSH FIT TERMINALS** 2125 **SOLDER TAGS** 2125 STACKABLE TEST LEADS 2125 UNINSULATED EARTH TERMINAL 2125

MINIATURE PROBE CLIPS

MICROMINIATURE PROBES microminiature plunger action probes suited to making contact with components on high density PCB's including DIL packages. The probes have solder connections for test leads(not supplied), max voltage 50V. Overall length 40mm, available in red or black. Sold individually.

CODE	TYPE	PRICE
562-450	Microminiature Probe Red	£0.55
562-455	Microminiature Probe Black	£0.55

MINIATURE PROBES miniature plunger action probes suited to making contact with components leads on high density PCB's including I.C. leads. The probes have solder connections for test leads(not supplied), max voltage 50V.

Overall length 57mm, available in red or black. Sold individually.

CODE	TYPE	PRICE
562-460	Miniature Probe Red	£0.65
562-465	Miniature Probe Black	£0.65

CROCODILE CLIPS

STANDARD CROCODILE CLIPS nickel plated steel, length 45mm, will accept 4mm plugs.

	20	
CODE	TYPE	PRICE
CON010	Crocodile Clips 42mm, Pair	£0.45

MINIATURE CROCODILE CLIPS a range of miniature insulated crocodile clips. Solder termination with cable grip. Length 33mm, 5 colours:- Black(**BK**), Blue(**BU**), Green(**GN**), Red(**RD**),and Yellow(**YL**). Price is EACH order by CODE, COLOUR + QUANTITY.



CODE TYPE PRICE
CON020 Mini Croc Clip (COLOURS + QUANTITY) EACH. £0.25

CROCODILE CLIPS 42MM a range of crocodile clips, 42mm

length, with soft plastic insulation cover. Red or Black. Sold individually.

CODE	TYPE	PRICE
563-042	Crocodile Clip Red 42mm	£0.35
563-044	Crocodile Clip Black 42mm	£0.35

CROCODILE CLIPS a range of robust crocodile clips suitable for heavy duty connections. Cable connection is a screw fixing. Fitted with coloured shroud.

Red or Black, sold individually. Available in 2 sizes, length overall 52mm & 67mm.

CODE	TYPE	PRICE
563-038	Crocodile Clip Screw Fixing Red 52mm	£0.45
563-040	Crocodile Clip Screw Fixing Black 52mm	£0.45

HEAVY DUTY CROCODILE CLIPS a range of heavy duty crocodile clips suitable for heavy duty connections including battery con-

nection. Cable connection is solder and crimping. Fitted with coloured shroud. are available 50mm rated 10A, 75mm rated 30A and 100mm rated 50A.



CODE	TYPE			PRICE
CODE	I I F L			FRICE
561-075	Heavy Duty Crocodile Clip 50mm	10A	Red	£0.65
561-076	Heavy Duty Crocodile Clip 50mm	10A	Black	£0.65
561-077	Heavy Duty Crocodile Clip 75mm	30A	Red	£0.85
561-078	Heavy Duty Crocodile Clip 75mm	30A	Black	£0.85
563-046	Heavy Duty Crocodile Clip 100mm	1 30 <i>i</i>	A Red	£0.99
563-048	Heavy Duty Crocodile Clip 100mm	1 30 <i>i</i>	A Black	£0.99

CROCODILE LEADS

CROCODILE LEAD PACK a set of ten leads, 18 inches long in

five assorted colours. Terminated at each end with an insulated miniature crocodile clip. Ideal for use as test leads and project work.

CODE	TYPE	PRICE
CON030	Crocodile Lead Pack	£3.99

HEAVY DUTY CROCODILE LEAD PACK a set of five leads 18" long in five assorted colours. Terminated at each end with an insulated crocodile clip. 55/0.1mm

test lead cable is used, 2A max. Ideal for use as test leads.

CODE	TYPE	PRICE
CON032	Heavy Duty Crocodile Lead Pack 2A	£3.79

MAG TAGS

MAG TAGS matching pair (N-S) of miniature high strength neodymium-iron-boron nickel-plated magnets with tinned copper flying leads that can be readily soldered. Make simple temporary connections to batteries, bulbs, etc., and any ferrous metal objects. Use for proximity sensors, reed switch triggering, connecting PCBs, prototyping, etc. Ideal for applications where connections need to be repeatedly made and broken, quickly and easily. Great for project work involving electrical circuits. Dimensions 5 x 6mm dia., connected to 40 x 0.65mm dia. tinned copper flexible leads. Current rating 8A, max operating temperature 12 0°C. Sold as a pair.

CODE	TYPE	PRICE
07-0030	Mag Tags 1 Pair	£4.50

POST FREE DELIVERY ON ALL ORDERS
WITHIN THE UNITED KINGDOM
MINIMUM ORDER VALUE £15.00

You may mix your order from ANY of our catalogues

MINIATURE PLUGS & SOCKETS

2mm PLUGS AND SOCKETS with tough plastic covers, rated 3A,

solder connection. Panel mounting socket. 5.8mm fixing hole.



CODE	TYPE	PRICE
CON080	2mm Plug Red	£0.45
CON090	2mm Plug Black	£0.45
CON100	2mm Socket Red	£0.50
CON110	2mm Socket Black	£0.50

4mm PLUGS AND SOCKETS a range of solder connection 4mm

plugs and sockets, the plugs may also be used in conjunction with 4mm terminal posts.



CODE	TYPE	PRICE
CON160	4mm Plug Red	£0.65
CON170	4mm Plug Black	£0.65
CON180	4mm Socket Red	£0.45
CON190	4mm Socket Black	£0.45

IN LINE BANANA SOCKETS an in line banana socket with screw

connections. 4mm available in red or black. Sold individually.



CODE	TYPE	PRICE
563-062	In Line Banana Socket Red	£0.55
563-064	In Line Banana Socket Black	£0.55

4mm TERMINALS a low cost terminal which will accept 4mm plugs, the metal parts are bright plated. Height above panel 24-29mm, 11mm diameter, maximum panel thickness 7mm, panel cut out 8mm.

CODE	TYPE	PRICE
CON192	4mm Terminal Red	£1.75
CON193	4mm Terminal Black	£1.75

30A 4mm TERMINALS a range of heavy duty terminal available with Gold plated or Nickel finish. Both types incorporate 4mm top and cross holes and may be panel mounted using single or dual washer kits sold separately. Blanking plugs are also available which push fit into the top 4mm socket, mounting cups also available separately restrict access to the contact area around the cross hole. When used together this makes the terminal touch proof and enables compliance with current EC Low Voltage Directives. Panel Cutout 7.2mm. Rated 30a 240V AC.



CODE	TYPE	PRICE
562-500	30A 4mm Terminal Red Nickel	£2.99
562-505	30A 4mm Terminal Black Nickel	£2.99
562-510	30A 4mm Terminal Red Gold	£3.99
562-515	30A 4mm Terminal Black Gold	£3.99
562-520	30A 4mm Term. Single Washer Kit	£0.85
562-525	30A 4mm Term.Twin Washer Kit	£1.05
562-535	30A 4mm Term. Black Blanking Plug	£0.40
562-540	30A 4mm Term. Red Mounting Cup	£0.79
562-545	30A 4mm Term. Black Mounting Cup	£0.79

STACKABLE TEST LEADS

4mm STACKABLE TEST LEADS a range of ready assembled

test leads made from 0.5M of extra flexible 55/0.1 cable terminated at each end with an in-line stackable 4mm plug. Maximum working voltage 50V. Sold Individually.



CODE	TYPE	PRICE
562-560	4mm Stackable Test Lead Black	£1.89
562-575	4mm Stackable Test Lead Red	£1.89

UNINSULATED EARTHING TERMINAL

UNINSULATED EARTHING TERMINAL a low cost uninsulated chassis mounting terminal. Consisting of a threaded section with captive hex nut, the knurled fixing knob can be removed to enable connection of ring type terminals. The terminal is of nickel plated

brass construction and has an M3 mounting thread and is supplied complete with fixing nut. Panel cutout 3.5mm.



CODE	TYPE		PRICE
562-550	Uninsulated Earth 7	Terminal	£1.25

PUSH FIT TERMINALS

PANEL MOUNT PUSH FIT TERMINALS A pair of panel mounted push fit spring terminals in red or black. Spring loaded contacts retain cable firmly in position. Solder tag termination.





CODE	TYPE	PRICE
520-442	Panel Mount Push Fit Terminal Red	£0.65
520-443	Panel Mount Push Fit Terminal Black	£0.65

SOLDER TAGS

SOLDER TAGS hot tinned brass tags to suit both metric and BA screw sizes. Supplied in packs of 25.

CODE	TYPE	PRICE
TAG-M6	Solder Tags M6/OBA	£1.35
TAG-M5	Solder Tags M5/2BA	£1.35
TAG-M4	Solder Tags M4/3BA	£1.35
TAGM35	Solder Tags M3.5/4BA	£1.35
TAG-M3	Solder Tags M3/6BA	£1.35
TAG-M2	Solder Tags M2/8BA	£1.35

FREE PARKING FOR 2 HOURS OUTSIDE OF OUR SHOP

UNINSULATED CRIMP CONNECTORS

UNINSULATED RING CRIMP CONNECTORS a range of uninsulated ring crimp connectors. The terminals are UL and CSA approved and meet the requirements of BS4579 and BS6178. Electro tinned plating to BS1872 Supplied in Packs of 10.

MINIATURE PCB BLADE CONNECTORS a range of miniature PCB blade connectors for making quick and easy connections to PCB's via direct solder connection or push on receptacles. Available in horizontal and vertical mounting styles. Hot tin dipped brass. Temperature 85°C(max).

Supplied in Packs of 10.



CODE	TYPE	PRICE
	Cable Entry 0.5 - 1.5mm ²	
562-650	Uninsulated Crimp Conn. Ring M4/3BA 10Pk	£0.75
562-655	Uninsulated Crimp Conn. Ring M5/2BA 10Pk	£0.75
562-660	Uninsulated Crimp Conn. Ring M6/0BA 10Pk	£1.09
	Cable Entry 1.5 - 2.5mm ²	
562-665	Uninsulated Crimp Conn. Ring M4/3BA 10Pk	£0.79
562-670	Uninsulated Crimp Conn. Ring M5/2BA 10Pk	£0.80
562-675	Uninsulated Crimp Conn. Ring M6/0BA 10Pk	£1.25
	Cable Entry 4.0 - 6.0mm ²	
562-680	Uninsulated Crimp Conn. Ring M4/3BA 10Pk	£1.25
562-685	Uninsulated Crimp Conn. Ring M5/2BA 10Pk	£1.39
562-690	Uninsulated Crimp Conn. Ring M6/0BA 10Pk	£1.75

UNINSULATED FORK CRIMP CONNECTORS a range of uninsulated fork crimp connectors. The terminals are UL and CSA approved and meet the requirements of BS4579 and BS6178. Electro tinned plating to BS1872 Supplied in Packs of 10.



CODE	TYPE	PRICE
	Cable Entry 0.5 - 1.5mm ²	
562-705	Uninsulated Crimp Conn. Fork M3.5 10Pk	£0.75
562-710	Uninsulated Crimp Conn. Fork M5.0 10Pk	£0.80
	Cable Entry 1.5 - 2.5mm ²	
562-715	Uninsulated Crimp Conn. Fork M3.5 10Pk	£0.89
562-720	Uninsulated Crimp Conn. Fork M5.0 10Pk	£0.89

UNINSULATED FEMALE PUSH ON RECEPTACLE a range of uninsulated female push on receptacle crimp connectors. The terminals are UL and CSA approved and meet the requirements of BS4579 and BS6178. Electro tinned plating to BS1872 Supplied in Packs of 10.

CODE	TYPE	PRICE
	Cable Entry 0.5 - 1.5mm ²	
562-725	Uninsulated F. Receptacle 2.8 x 0.8 10Pk	£0.99
562-730	Uninsulated F. Receptacle 6.3 x 0.8 10Pk	£1.10
	Cable Entry 1.5 - 2.5mm ²	
562-735	Uninsulated F. Receptacle 6.3 x 0.8 10Pk	£1.20

UNINSULATED CRIMP PUSH ON BLADE a range of uninsulated push on blade crimp connectors. The terminals are UL and CSA approved and meet the requirements of BS4579 and BS6178. Electro tinned plating to BS1872 Supplied in Packs of 10.



CODE	TYPE	PRICE
	Cable Entry 0.5 - 1.5mm ²	
562-740	Uninsulated Push On Blade 6.3 x 0.8 10Pk	£0.99
	Cable Entry 1.5 - 2.5mm ²	
562-745	Uninsulated Push On Blade 6.3 x 0.8 10Pk	£1.00



MINIATURE PCB SCREW TERMINALS a range of miniature PCB screw terminals. The terminals will accept solid or stranded wire, crimp type terminals or lugs. Manufactured in tin plated brass. Rated 15A, available in horizontal or vertical styles. Mounting is via 4 x 1.5mm pins on 7.5 x 5mm pitch. Sold individually.



	101 0001	House	ion prome	
TYPE				PRICE
PCB Screw	Terminal	Vertical x1		£0.85
PCB Screw	Terminal	Horizontal x1	l	£0.85
PCB Screw	Terminal	Vertical Low	Profile x1	£0.85
	PCB Screw	PCB Screw Terminal PCB Screw Terminal	TYPE PCB Screw Terminal Vertical x1 PCB Screw Terminal Horizontal x1	TYPE PCB Screw Terminal Vertical x1 PCB Screw Terminal Horizontal x1 PCB Screw Terminal Vertical Low Profile x1

TAPPED PCB TERMINAL a quick and convenient method of PCB connection. A tin plated brass connector tapped with an M3 to accept screw connection.

Supplied individually.

CODE	TYPE	PRICE
520-447	Tapped PCB Terminal Pack x1	£0.27

HEAVY DUTY CRIMP CONNECTORS a range of copper tube terminals and splices to IEC352-2 and ISO1966 standards. Electro tinned to BS1872. The terminals and splices have chamfered cable entries for ease of cable fitting and uniform crimping. Sold individually.

HEAVY DUTY COPPER TUBE LUGS a range of copper tube lug connectors. Sold individually.

CODE	TYPE	PRICE
	Cable Entry 10mm ²	
562-600	H.D. Crimp Conn. Copper Tube Lug M6 x1	£0.27
562-605	H.D. Crimp Conn. Copper Tube Lug M8 x1	£0.33
	Cable Entry 16mm ²	
562-610	H.D. Crimp Conn. Copper Tube Lug M6 x1	£0.58
562-615	H.D. Crimp Conn. Copper Tube Lug M8 x1	£0.58
	Cable Entry 25mm ²	
562-620	H.D. Crimp Conn. Copper Tube Lug M6 x1	£0.78
562-625	H.D. Crimp Conn. Copper Tube Lug M8 x1	£0.78

HEAVY DUTY BUTT CONNECTOR a range of butt connectors. Sold individually.

CODE	TYPE	PRICE
562-630	H.D. Crimp Butt Connector 4.5mm x1	£0.26
562-635	H.D. Crimp Butt Connector 5.4mm x1	£0.33
562-640	H.D. Crimp Butt Connector 6.8mm x1	£0.76

INSULATED CRIMP CONNECTORS

INSULATED CRIMP CONNECTORS a comprehensive range of tin plated insulated crimp terminals with red and blue sleeves. Red connectors for 0.25mm - 1.6mm wire, Blue connectors 1.5mm to 2.6mm wire.

EYELETS Supplied in packs of 10.



CODE	TYPE	PRICE
CC471	Red Eyelet 3.5mm Pack of 10	£0.75
CC474	Red Eyelet 6.4mm Pack of 10	£1.25
CC472	Blue Eyelet 3.5mm Pack of 10	£0.90
CC475	Blue Eyelet 6.4mm Pack of 10	£1.25

SPADES Supplied in packs of 10.



	,	
CC477	Red Spade 3.5mm Pack of 10	£0.70
CC480	Red Spade 6.4mm Pack of 10	£2.20
CC478	Blue Spade 3.5mm Pack of 10	£0.95
CC481	Blue Spade 6.4mm Pack of 10	£2.20

BUTT SPLICE Supplied in packs of 10.



	•	
CC486	Red Butt Splice Pack of 10	£1.20
CC487	Blue Butt Splice Pack of 10	£1.25

WIRE PIN Supplied in packs of 10.



	/	
CC483	Red Wire Pin 2mm Pack of 10	£0.95
CC484	Blue Wire Pin 2mm Pack of 10	£1.00

BLADE Supplied in packs of 10.



CC489	Red Blade 6.3mm Pack of 10	£2.15
CC490	Blue Blade 6.35mm Pack of 10	£2.15

RECEPTACLES Supplied in packs of 10.



	*	
CC492A	Red Receptacle 3.2mm Pack of 10	£1.15
CC100	Red Receptacle 4.8mm Pack of 10	£2.15
CC492	Red Receptacle 6.3mm Pack of 10	£2.15
CC115	Blue Receptacle 4.8mm Pack of 10	£2.15
CC493	Blue Receptacle 6.3mm Pack of 10	£2.15

PIGGYBACK Supplied in packs of 10.



CC495	Red Piggyback 6.3mm Pack of 10	£2.15
CC496	Blue Piggyback 6.3mm Pack of 10	£2.15

SHROUDED RECEPTACLE Supplied in packs of 10.



CC492B	Red Shrouded Receptacle 6.3mm Pack of 10	£1.50
562-493	Blue Shrouded Receptacle 5.0mm Pack of 10	£2.15
CC493B	Blue Shrouded Receptacle 6.3mm Pack of 10	£2.15

MALE/FEMALE BULLETS Supplied in packs of 10.



PUSH ON TERMINAL 6.5MM Supplied in packs of 10.



CC408	Push On Terminal 6.5mm Pack of 10	£0.95
CC409	Push On Terminal 6.5mm Insulator Pack of 10	£0.95

BOOTLACE FERRULES

INSULATED BOOTLACE FERRULES insulated cable ferrules designed to form a neat termination to multi-strand wire. The ferrules provide a secure connection to terminal blocks and captive terminals and help to prevent accidental shorting by enclosing all strands of the cable. Sold in packs of 10.



CODE BI F280	TYPE Bootlace Ferrule	Ferrule Colour White		PRICE
BLF285 BLF290	Bootlace Ferrule	Blue	0.75mm² Pack of 10 1.0mm² Pack of 10	£0.79
BLF295 BLF300	Bootlace Ferrule	Black	1.5mm² Pack of 10 2.5mm² Pack of 10	£0.79

CRIMPING TOOLS

CRIMPING TOOL for crimping red, blue and yellow insulated crimp connectors, it also incorporates a wire cutter, a bolt cutter and a position for crimping ignition terminals. Length overall 200mm.



CODE	TYPE	PRICE
PL0220	Crimping Tool	£3.45

CRIMPING TOOL for crimping red, blue and yellow insulated and unisulated crimp connectors, it also incorporates a wire cutter, a bolt cutter and a position for crimping ignition terminals. Length overall 240mm.



CODE	TYPE	PRICE
13656	5 Way Crimping Tool	£4.99

RATCHET ACTION CRIMPING TOOL for crimping red, blue and yellow insulated crimp connectors. The connector is simply placed in the jaws and the handles are squeezed until the tool re-opens. The ratchet action prevents the jaws releasing before the crimp is complete, the ratchet can be released manually if required. Length 225mm

225mm.



CRIMPING TOOL KIT containing a varied selection of crimp connectors and an insulated crimping tool. Supplied in a hinged plastic case. Comprises of 80 insulated and 40 non-insulated terminals. The crimp tool incorporates a wire cutter and stripper.



CODE	TYPE	PRICE
CTK220	Crimping Tool Kit	£9.50

CABLE SPLICES

TAP, BLADE AND FUSE SPLICES a range of cable splices suitable for the insertion of additional cables, blade splices or in-line fuses (automotive style) into existing cables. The Tap Splice is placed over the existing wire, the additional wire is inserted into the connector and the connector is crimped with pliers. The Blade Splice is crimped over the cable with pliers, a 6.3mm blade can then be inserted into the socket. The In-line Fuseholder is placed over the cable and then crimped with pliers, automotive style fuses



CODE	TYPE	Wire Size mm²	PRICE
CC0160	Tap-in Splice Red 5 Pack	0.8 - 2.0	£0.65
CC0165	Tap-in Splice Blue 5 Pack	1.0 - 1.5	£0.65
CC0190	In-line Blade Slice 5 Pack	1.0 - 2.0	£0.99
CC0195	In-line Fuse Holder Single	1.0 - 2.0	£0.90

HEAT SHRINK BUTT SPLICES a range of heat shrink sealed splices providing a tough and long lasting seal against immersion in solvents, oils, fluids etc. Wire insulation of cables should be stripped back by 8mm and them crimped into the ends of the splice. A hot air supply is then applied to the sleeve until the tubing has shrunk to the cable size and the adhesive flows from the end of the splice providing a sealed joint. Sold individually



CODE	TYPE	PRICE
562-832	Heat Shrink Butt Splice Red	£0.35
562-834	Heat Shrink Butt Splice Blue	£0.36
562-836	Heat Shrink Butt Splice Yellow	£0.69

HEAT SHRINKABLE SLEEVING

HEAT SHRINKABLE SLEEVING a highly flexible polyolefin tubing which will shrink in a ratio of 2:1 by heating above 120°C. Continuous operation from -55°C to +135°C with short duration capability to +300°C. Typical applications include insulation and strain relief on electrical connections. Bore size is nominal and is quoted before shrinking. Colour Black. Further colours available:-Clear(CL), Red(RD), Yellow(YL) Green (GN) and Blue(BU) at the same prices as below, please order with code and colour. Sizes 19.1mm, 38.1mm and 50.8mm are available in Black only. All supplied in lengths of 1.2M. *Note if no colour is specified Black will be supplied.*

CODE	TYPE	PRICE
HSB016	Heat Shrink Sleeve 1.6mm (+ COLOUR)	£1.50
HSB024	Heat Shrink Sleeve 2.4mm (+ COLOUR)	£1.65
HSB032	Heat Shrink Sleeve 3.2mm (+ COLOUR)	£1.75
HSB048	Heat Shrink Sleeve 4.8mm (+ COLOUR)	£2.15
HSB064	Heat Shrink Sleeve 6.4mm (+ COLOUR)	£2.50
HSB095	Heat Shrink Sleeve 9.5mm (+ COLOUR)	£2.99
HSB127	Heat Shrink Sleeve 12.7mm (+ COLOUR)	£3.45
HSB191	Heat Shrink Sleeve 19.1mm Black Only	£4.99
HSB254	Heat Shrink Sleeve 25.4mm Black Only	£5.99
HSB381	Heat Shrink Sleeve 38.1mm Black Only	£7.99
HSB508	Heat Shrink Sleeve 50.8mm Black Only	£10.99

3:1 HEAT SHRINKABLE SLEEVING general purpose black highly flexible polyolefin tubing which will shrink in a ratio of 3:1 by heating above 125°C. Continuous operation from -75°C to +135°C. Typical applications include insulation and strain relief on electrical connections, building of wire bundles and identification and colour coding. Bore size is quoted before shrinking. Black only. Supplied in lengths of 1.2M.

CODE	TYPE	PRICE
520-220	3:1 Heat Shrink Sleeve 1.5mm dia	£1.75
520-225	3:1 Heat Shrink Sleeve 3.2mm dia	£1.99
520-230	3:1 Heat Shrink Sleeve 6.0mm dia	£2.99
520-235	3:1 Heat Shrink Sleeve 9.0mm dia	£3.20
520-240	3:1 Heat Shrink Sleeve 12.0mm dia	£4.60
520-245	3:1 Heat Shrink Sleeve 18.0mm dia	£5.10
520-250	3:1 Heat Shrink Sleeve 24.0mm dia	£7.90

ADHESIVE LINED HEAT SHRINKABLE SLEEVING a general purpose black highly flexible polyolefin tubing with adhesive lining which will shrink in a ratio of 3:1 by heating above 125°C. As the sleeving is heated the sleeve shrinks and the adhesive melts to form a seal and encapsulates the components contained within. Typical applications include insulation and strain relief on electrical connections, splicing cable forms and terminating other forms of sleeving such as our expandable braided sleeving. Bore size is quoted before shrinking. Colour Black. Supplied in lengths of 1.2M.

CODE	TYPE	PRICE
520-260	3:1 Adh. Heat Shrink Sleeve 3.2mm dia	£3.99
520-265	3:1 Adh. Heat Shrink Sleeve 4.8mm dia	£4.50
520-270	3:1 Adh. Heat Shrink Sleeve 6.4mm dia	£5.59
520-275	3:1 Adh. Heat Shrink Sleeve 9.5mm dia	£6.15
520-280	3:1 Adh. Heat Shrink Sleeve 12.7mm dia	£6.99
02-0232	3:1 Adh. Heat Shrink Sleeve 19mm dia	£13.99
02-0234	3:1 Adh. Heat Shrink Sleeve 24mm dia	£20.99
520-285	3:1 Adh. Heat Shrink Sleeve 40.0mm dia	£27.99

FREE PARKING FOR 2 HOURS OUTSIDE OF OUR SHOP