TEST EQUIPMENT - THERMOMETERS



ANALOGUE MULTIMETER	402
BENCH METERS	405
DIGITAL MULTIMETERS	402 - 403
DUSTING TOOLS	408
ELECTRICAL TEST	
SCREWDRIVERS	405 - 406
ELECTRONIC SCALES	408
ELECTRONICS HOBBYIST TOOL	KIT 404
HUMIDITY GAUGE	406
LED TESTER	406
METRONOME	406
MODEL RAILWAY ELECTRONIC'S	408
MULTI NETWORK TESTERS	404 - 405
PANEL METERS	405
RAINFALL MEASURE	407
SOUND LEVEL METER	403
TEST LEADS	404
THERMOMETERS	406 - 407
TIMERS	406



Last Revised 27/07/2011

ANALOGUE MULTIMETER

ANALOGUE MULTIMETER a pocket analogue multimeter, offering basic specification at low cost. The meter offers a total of 16 ranges including a battery test facility for 1.5V and 9V cells. Supplied complete with 4mm test leads, battery (1 x AA size) and full instructions.

rification Spe

Specification
AC voltage10-50-250-500V
DC voltage2.5-10-50-250-500V
DC current0.5-10-250mA
ResistanceOhm x 10 (Scale
centre @ 50 ohm).
Ohms x 1k (Scale
centre @ 5k Ohms)
Battery test 1.5V / 9V
Sensitivity 2000 ohm/V DC & AC
Battery 1.5V (1 x AA)
Dimensions 115 x 68 x 32mm
CODE TYPE

CODE	TYPE	PRICE
860-244	Analogue Multimeter 16 Range 600.442	£9.99

DIGITAL MULTIMETERS

MINIATURE DIGITAL MULTITESTER a compact 18 range miniature pocket sized DMM with LCD display for the measurement of AC/DC voltage, DC current, resistance, transistor test and battery test.

Specification

Specification	1
DC volts	200mV-500V (± 0.8%)
AC volts	200V-500V (± 1.5%)
DC current	2000µA-200mA (± 10%)
Resistance	200Ω-2MΩ (± 1.0%)
Max display	
Battery	12V (1 x 23A)
Battery Test	1.5 & 9V
Dimensions	
Weight	60gm



CODE	ТҮРЕ	PRICE
860-534	Miniature Digital Multitester 600.005	£5.99

DIGITAL MULTITESTER a compact 19 range pocket sized DMM with a 3.5 digit LCD for the measurement of AC/DC voltage, DC current, resistance, diode and transistor test, audible continuity and test signal output.

Specification

opecification	1
DC volts	200mV-1000V (± 0.05%)
AC volts	100V-750V (± 1.2%)
DC current	2000µA-10A (± 10%)
Resistance	200Ω-2MΩ (± 0.8%)
Signal output	50Hz square
Max display	
Battery	9V PP3
Dimensions	
Weight	137g



CODE	TYPE	PRICE
860-538	Digital Multitester 600.035	£8.99

WHEN PLACING AN ORDER PLEASE USE THE FULL ORDER CODE INCLUDING ANY PUNCTUATION

DIGITAL MULTIMETER a pocket sized digital multimeter offering basic test functions at an economical cost. It is also supplied with a rubberised holster which offers some shock protection to the meter. The holster also features a stand and probe holder. The meter has 19 ranges including a continuity test facility and 10A dc range. Supplied complete with battery, 4mm test leads and operating instructions.

Specification AC volts0-200-750V ±1.2% DC volts0-20mV-2000mV-20V-	
200V-1000V ±0.8% DC current0-200μA-2000μA-20mA -200mA-10A ±2%	×
Resistance0-200Ω-200Ω-20KΩ- 200kΩ-2000KΩ ±1%	1999
Diode Test1.5mA approx	0.ma*
Continuity<70Ω	(() · · · · · · · · · · · · · · · · ·
TransistorNPN/PNP	
Square WaveApprox .3Vp-p	CE
ProtectionFuse & Diodes	BIGITAL MULTIMETER FORTHER COM - (10)
Dimensions135 x 80 x 40mm	

CODE TYPE 860-600 Digital Multimeter 600.006..... £9.99

PROFESSIONAL DIGITAL MULTITESTER a highly featured digital multitester for professional use. Offers 30 ranges and 8 functions including temperature, capacitance, diode, continuity and

hFE measurement. Large 3.5 digit LCD display with automatic polarity indicator. Supplied with shrouded test leads, K type temperature probe and shock proof rubber holster.

Specification

Specification	
DC volts	200mV-1000V (± 0.5%)
AC volts	
DC current	
AC current	200mA-20A (± 1.8%)
Resistance	200Ω-20MΩ (± 0.8%)
Capacitance	2000pF-20µA (± 2.5%)
Temperature	. 50°C-1000°C (± 1.5%)
Frequency	20kHz (± 1.%fs)
Max display	
Battery	9V PP3
Dimensions	



CODE TYPE 860-529 Professional Digital Multitester.....£24.99

PRICE

PRICE

POST FREE DELIVERY **ON ALL ORDERS** WITHIN THE UNITED KINGDOM

MINIMUM ORDER VALUE £15.00

You may mix your order from ANY of our catalogues

DIGITAL MULTIMETER a high specification digital multimeter that is suitable for amateur and professional users. The meter features 32 ranges including transistor, diode, continuity buzzer and 10A ac current range. The meter has a typical accuracy of 1% and is housed in a robust ABS case. It is supplied with a rubberised holster which protects the meter and has a two height flip-up stand.

The holster can be wall mounted and storage for the test probes. Supplied complete with battery PP3, test leads, instructions. Dims:- 189 x 91 x 32mm. **Specification**

Transistor Check.....NPN or PNP

CODE	TYPE	PRICE
DMM318	Digital Multimeter 318	£29.99
DMM319	Spare Fuse 10A	£2.49
CQF320	Spare Fuse 2A	£0.25

328 DIGITAL LCD MULTIMETER a high accuracy 3½ digit multimeter designed in accordance with IEC-1010. The 32 ranges cover the basic AC and DC voltage and current ranges as well as ranges for the measurement of capacity, temperature and frequency. In addition, there are positions for diode and transistor tests and audible continuity. The large clear LCD display incorporates a low battery indicator which shows when the battery is exhausted (replacement type PP3). If no activity is detected for approximately forty minutes, the meter will automatically switch off to preserve the battery, guarding against the meter being accidentally left switched on. The 328 us supplied with a rubberised holster which protects the meter and allows it to be angled by means of a two height stand built into the base. The holster also allows wall mounting and provides storage for the test probes. In addition to

the holster, the 328 is supplied complete with test leads, battery and instruction manual. Overall size 31.5x 91x 189mm.

Specification

DC volts200mV-2V-20V-200V-1000V
AC volts2V-20V-200V-700V
DC current2mA-20mA-200mA-20A
AC current20mA-200mA-20A
Resistance200Ω-2k-20k-200k-2M-20MΩ
-200MΩ
-20010152
Capacitance2nf-20nf-200nf-2µf-20µf
Capacitance2nf-20nf-200nf-2µf-20µf
Capacitance2nf-20nf-200nf-2µf-20µf Frequency20kHz
Capacitance2nf-20nf-20nf-2µf-20µf Frequency



CODE	TYPE	PRICE
860-721	Digital LCD Multimeter 328	£39.99
860-165	Spare Fuse 200mA	£1.00
860-164	Spare Temperature Sensor	£5.25

FREE PARKING FOR 2 HOURS OUTSIDE OF OUR SHOP

955 AUTORANGING LCD MULTIMETER a fully autoranging 3 3/4 digit multimeter with a dual LCD display which has a maximum reading of 3260 and a 32 segment bargraph. The autoranging facility enables a wide range of measurement levels to be read without the need to constantly change the range switch. If required the autoranging facility can be overridden and ranges selected manually. A data-hold facility enables readings to be captured and held. In addition to the normal basic functions, the 955 also features ranges for capacitance, frequency, diode and transistor testing. The 955 is supplied with a rubberised holster which protects the meter and allows it to be angled by means of two

height stand built into the base. In addition to the holster, the 955 is supplied complete with test leads, battery (PP3) and instruction manual. Dims 91 x 189 x 31.5mm.

Specification

opeemeation	
DC volts326mV-3.26V	
AC volts3.26	V-32.6V-326V-1000V
DC current326	δµA-3260µA-32.6mA-
	326mA-10A
AC current326	6µA-3260µA-32.6mA-
	326mA-10A
Resistance326Ω-3	.26kΩ-32.6kΩ-326kΩ
	3.26MΩ-32.6MΩ
Capacitance	326nf-32.6µf
Frequency	32.6kHz-150kHz
Diode test current	1mV
Transistor Check	NPN or PNP
Continuity test	<50Ω



CODE TYPE

OODL		
DMM955	955 Autoranging LCD Multimeter	£49.99
DMM957	Spare Fuse 10A	£2.00

SOUND LEVEL METER

DIGITAL SOUND LEVEL METER a lightweight, high performance digital sound level meter ideal for measuring noise levels in offices, industrial environments, airports, public buildings etc. Conforms to IEC651 type 2 and ANSI S1.4 type 2 Standards. Display with 0.1dB steps on a 4-digit LCD, 12.5mmØ electret condenser microphone. A/C frequency weighting, time weighting: Fast (125ms), Slow (1 sec). Maximum hold and data hold function, auto power off after inactivity. Backlight function. Supplied in a padded vinyl case with windshield and battery.

Specification

Power supply	9Vdc (1 x PP3)
Measuring ranges	Low: 30 - 100dB,
	High: 60 - 130dB
Accuracy	±1.5db (ref 94dB@1kHz)
Dimensions	210 x 57 x 32mm
Weight	190g inc battery
-	



CODE TYPE

32-0652 Digital Sound Level Meter 600.652.....

PRICE £79.99

PRICE

IF THERE ARE OTHER PRODUCTS THAT YOU WOULD LIKE US TO STOCK, PLEASE FEEL FREE TO LET US KNOW.

E-mail: sales@squirestools.com - www.squirestools.com

ELECTRONICS HOBBYIST TOOL KIT

ELECTRONICS HOBBYIST TOOL KIT a tool set containing a 40W electronic soldering iron with spare bit, solder and holder, desoldering pump with Teflon spare nozzle, cross pointed screwdriver and a screwdriver with voltage detector, strong side cutters and snipe nose pliers. Universal analogue multimeter featuring 13 measurement ranges, leads and 1.5V battery.



TEST LEADS

TEST LEADS basic test leads with 2mm probes and terminated with 2mm or 4mm banana plugs to suit miniature multimeters etc. Length 85mm. Max cu

-	mm. Max current e dia. 2.7mm.	90	
CODE	TYPE		PRICE
MMTL10	Test Leads 2mm pair		£1.79
MMTL12	Test Leads 4mm pair		£1.99

MULTIMETER TEST LEADS a pair of red and black test leads with 4mm plugs



CODE TYPE 860-544 Multimeter Test Leads 4mm..... £2.50

MULTIMETER TEST LEADS moulded construction with right angle 4mm plugs for ease of use. Length 1M Red and Black. Suitable for use with multimeters, DMM318, DMM320 and similar meters.

TYPE CODF MMTL30 Test Leads 4mm..... £3.99

MULTIMETER TEST LEADS SET a pair of high quality multimeter test leads to suit meters (318, 328 & 955 and similar types) with shrouded type 4mm connectors. The leads are IEC1010/EN61010

CAT 2 CE approved and rated at 1000V, 10A. Overall length approx 900mm.





CODE TYPE PRICE 520-440 Multimeter Test Leads Set IEC1010..... £4.50

UNIVERSAL TEST LEAD SET a versatile set of test leads with screw on accessories offering a wide variety of probe/test options.

Lead length 90cm. The set contains:-Test leads and probes, Pair 4mm connectors, Pair 2mm connectors, 2 pairs crocodile clips, Pair spade connectors.



CODE	TYPE	PRICE
UNTL50	Universal Test Lead Set	£6.99
CROCOL	DILE LEAD PACK a set of ten leads, 18 inches	long in

five assorted colours. Terminated at each end with an insulated miniature crocodile clip. Ideal for use as test leads and project work.



CODE TYPE CON030 Crocodile Lead Pack.....

HEAVY DUTY CROCODILE LEAD PACK a set of five leads 18" long in five assorted colours. Terminated at each end with an insulated crocodile clip. 55/0.1mm max. Ideal for use as test leads



CODE TYPE

CON032 Heavy Duty Crocodile Lead Pack 2A..... £3.79

PRICE

PRICE

£3.99

MULTI NETWORK TESTERS

MULTI NETWORK TESTER convenient for testing all network and BNC cables. Tests for the correct operation, short-circuit or wrong connection. The tester is composed of a transmitter and a receiver which are connected together via the lead supplied. Uses 1 x PP3 9 volt battery.



CODE	ТҮРЕ	PRICE
860-285	Multi Network Tester	£14.99

4-IN-1 REMOTE CABLE TESTER a handheld unit with 4 different ports for testing UTP/STP LAN, RJ-11 (2-6 conductors), USB and BNC cables both before and after installation. Equipped with RJ-11, RJ-45, USB(A), USB(B) and BNC ports, LED status display. Single button test for easy operation, Gold plated contacts Connected wires display. Faults indicated: no connection, short circuit, open circuit and crossover connection. Low battery indication.

Specification Battery 9Vdc (PP3) Max Cable length 180m (600ft) Dimensions 143 x 86 x 26.5mm Weight 202g



CODF PRICE TYPF 4-in-1 Remote Cable Tester 505.993..... £31.99 32-0993

TEL. 01243 842424 FAX. 01243 842525

5-IN-1 REMOTE CABLE TESTER a portable, handheld cable tester with easy to use single button operation. Tests UTP/STP LAN, RJ-11, RJ-45, BNC, and 1394 cables. LED indication of connections and faults, beeper for audible annunciation of test results.

Checks for continuity, open/short circuit, crossover a grounding. Tests installed wiring and patch leads. Low battery indication. Supplied with fabric carry case.

Specification Battery 9Vdc (PP3, 6F22) Dimensions 205 x 99.5 x 26mm Weight 205g



CODE	ТҮРЕ	PRICE
32-0284	5-in-1 Remote Cable Tester 710.284	. £57.99

BENCH METERS

ANALOGUE AMMETERS & VOLTMETERS a range of low cost, full size, moving coil DC demonstrating quality and value for money. Easy to read, inclined display, fully enclosed plastic case, overload protection. External screw adjustment to zero. Excellent choice for student use, suitable for Key Stages 3 & 4 (ages 11 to 16).



CODE	ТҮРЕ	PRICE
32-0000	Analogue Ammeter 50mA/500mA/5A	£9.99
32-0002	Analogue Ammeter 1A/5A	£9.99
32-0004	Analogue Ammeter 3A	£9.99
32-0006	Analogue Ammeter 5A	£9.99
32-0008	Analogue Ammeter 10A	£9.99
32-0010	Analogue Voltmeter 3V/15V/300V	£9.99
32-0012	Analogue Voltmeter 3V/10V/15V	£9.99
32-0014	Analogue Voltmeter 3V/15V/30V	£9.99
32-0016	Analogue Voltmeter 15V	£9.99

PANEL METERS

MOVING COIL DC PANEL METERS a range of moving coil meters with 85° angle of deflection and scale length of 55mm. Housed in a black moulded ABS case with clear front cover. The

meter movement is masked by an internal black cover resulting in a modern uncluttered appearance. Dimensions $76 \times 60 \times 36.5$ mm.

Panel Meter 0-50µA

Panel Meter 0-100µA

TYPE

861-350 Panel Meter 0-30Vdc

CODE

861-300

861-305

Seen <u>HA</u>	Ð
Coil res.	PRICE
1800Ω	£10.99
1500Ω	£10.99
30KΩ	£10.99

20 30

ELECTRICAL TEST SCREWDRIVERS

LOW VOLTAGE CIRCUIT TESTER a probe with transparent handle housing a neon light, 30" insulated cable with a crocodile clip. Testing range 6-24V dc. **** NOT SUITABLE FOR MAINS TEST-**

			A.			
				2)	
CODE TYP	Έ					PRICE
12578 Low	Voltage Tester.	 				£2.99

MAINS TESTER SCREWDRIVER with internal neon and series resistor for testing mains voltages 220-250V ac. 2 sizes:- 140mm length with 3mm blade, 190mm length with 4mm blade. The small tester has a pocket clip.

ocket clip.	second and a second sec	and the second s	1000
ocket clip.	TO MARKE .	Stranger and the second second	
•		The second secon	Contraction of the local division of the loc

CODE	ТҮРЕ	PRICE
SD0050	Mains Test Screwdriver 140mm	£1.85
SD0052	Mains Test Screwdriver 190mm	£2.75

EURO MAINS TESTER a fully insulated one piece moulding manufactured to the latest European Specifications for complete safety including anti-slip guard and pocket clip. Neon indicator indicates current present in the range 125-250V. Supplied complete with 13A safety gate tool which allows testing without removing socket from wall. Tested and approved to GS and VDE Specifications. 2 sizes available:- length 150mm x 3mm tip and length 190 mm x 3mm tip.



DIGITAL MULTI-FUNCTION TESTER a Multi-functional tester with digital readout and plain slot blade that allows the checking of wiring without dismantling or having any contact with live parts. Applications include 'break point' in wiring, continuity testing, bulb and fuse testing, microwave leakage, socket testing and testing for static. Fully insulated, supplied with full instructions. Includes 2 x 1.5V alkaline batteries.

CODE	ТҮРЕ	PRICE
66201	Digital Multi-Function Tester	. £7.99

MULTI-TESTER a multi-functional tester with plain slot blade that allows the checking of domestic and garden appliance wiring without dismantling or having any contact with live parts. Applications include "break point" in wiring, continuity testing, bulb and fuse testing, microwave leakage, socket testing and testing for static. Fully insulated. Full instructional leaflet enclosed.





E-mail: sales@squirestools.com - www.squirestools.com

INDUCTANCE CIRCUIT TESTER a dual function screwdriver type circuit tester. Used as an inductance tester it will detect buried live cables and breaks in cables etc. When touching a live part with the tip, the voltage level will be indicated on the LCD display. Maximum 250V AC or DC. Length 125mm.



CODE TYPE PRICE ICT23BA Inductance Circuit Tester..... £1.99

NON CONTACT AC VOLTAGE SENSOR a useful tool for detecting live circuits, location of breaks in cabling, fault finding and low voltage. The sensitivity is adjustable with a voltage test range of range 5 - 1000V. Voltage is indicated by Audio/visual signal. Powered by 4 x LR44 batteries (supplied). Full instructional leaflet included.

CODE	ТҮРЕ	PRICE
71389	Non Contact Voltage Sensor	£11.49

BATTERY, BULB, FUSE & CONTINUITY TESTER Multi-purpose tester for dry cell 1.5V batteries (AAA, AA, C, D and button-type), 9V batteries (PP3 /6LR61), household and automotive fuses, bulbs (with bayonet fitting plus push/screw type torch light bulbs). Readings show up on clear scale.

There is also an audible ontinuity tester via test probes supplied. Runs off 1 x 9V PP3/6LR61 battery (not supplied).



CODF TYPF PRICE 57574 Battery, Bulb, Fuse & Continuity Tester..... £14.99

LAMP TESTER a compact battery powered tester for a wide range of lamp types. Audible and visual indication. Suitable for B15d, B22d, E10, E14, E27, G4, G5, G9, G13, G53, GU5.3, GU10, GY6.35 lamp bases.

Specification Battery 9Vdc (1 x PP3, 6F22) Dimensions 130 x 26 x 74mm



CODE PRICE TYPF 860-041 Lamp Tester..... £5.99

LED TESTER

LED TESTER this easy to use tester allows simple testing (functionality and polarity) and matching of low current LED's. The test sockets are designed to accept both new and used components which may have a small amount of solder remaining on the leads. LED's may be tested at 1,2.5,5,10,20 and 50mA forward current by simply inserting the device into the relevant pair of sockets. Two

pairs of sockets are provided for the 10mA current level, allowing two LED's to be compared for colour and brightness under identical test conditions. The tester uses a single 9V, PP3 battery (not included). Dims: 74 x 74 x 23mm.



CODE	TYPE
622-575	LED Tester

PRIC LED lester......£12.

TIMERS

COUNTDOWN TIMER an electronic countdown timer with 19 hours, 59 minutes countdown capability. The internal alarm will sound when the set period has timed out. Many applications in the workshop, laboratory, garage and home. It may be used free standing or it has a magnet and a spring clip for mounting.



METRONOME

MECHANICAL METRONOME a traditional mechanical metronome in a plastic housing. Features a high quality metal mechanism, traditional beat demonstration 40-208 BPM.

Specification Dims 118 x 206 x 104mm Tolerance <1% Weight 470g



PRICE

£49.99

CODE TYPE 32-0315 Mechanical Metronome.....


HUMIDITY GAUGE

HUMIDITY DIAL a small accurate hygrometer, measuring humidity from 0 - 100% enabling you to tell at a glance if a room is too dry or too damp.



THERMOMETERS

WINDOW THERMOMETER a simple but effective thermometer which sticks directly onto the outside of the window enabling you to read the outside temperature from inside the building.



CE	CODE	ТҮРЕ	PRICE
.99	521-200	Stick On Window Thermometer	£4.99

406

TEL. 01243 842424 FAX. 01243 842525

GARDENERS DIAL THERMOMETER a simple easy to read dial

thermometer suitable for use in the greenhouse, potting shed or the home.



CODE	TYPE		PRICE
521-350	Gardeners	Dial Thermometer	£4.35

PROPAGATING THERMOMETER a sturdy yet lightweight thermometer for use in propagators.

	Tenterin dan haring and a fan haring and a fan haring a	100
CODE	ТҮРЕ	PRICE
521-255	Propagating Thermometer	£4.39

MAHOGANY AND WHITE THERMOMETER an attractive thermometer with mahogany finish. Ideal for use

in and around the house and garden.



CODE	ITPE	PRICE
521-152	Mahogany and White Thermometer	£6.50

DIAL MIN / MAX THERMOMETER a variation of the original min/max thermometer with easy to read gauge which is graduated in both Fahrenheit and

Centigrade. It records the highest and lowest day and night temperatures with a twist reset button.



CODE	TYPE	PRICE
521-106	Dial Min/Max Thermometer WST106	£10.99

DIAL MIN / MAX THERMOMETER an alternative to the mercury min/max thermometers. It can be wall mounted using the bracket supplied or hung using the hole in the top of the housing. Easy to reset.

CODE TYPE PRICE 521-103 Dial Min/Max Thermometer 103......£12.99 IN/OUTDOOR THERMOMETER a twin display thermometer with 2 sensors. Indoor temperature range -10°C to 50°C and outdoor

temperature range -50C to 70C. Displays maximum and minimum temperatures which can be reset at anytime.



CODE	ТҮРЕ	PRICE
860-133	In/Outdoor Thermometer	£10.99

CATERING THERMOMETER an ideal thermometer for the catering trade. Temperature range -50°C

to 150°C. On/Off switch with auto shut off. Stainless steel probe with sheath and pocket clip.




CODE	ТҮРЕ	PRICE
860-708	Catering Digital Thermometer	£11.99

DIGITAL THERMOMETER an electronic digital thermometer that measures in both Celsius and Fahrenheit and features a temperature hold function. Measuring range -50°C(-58°F) to +125°C (+257°F).

、 ,			01000 (E 777 @	1. ISV2)
CODE	TYPE				PRICE
860-539	Digital Th	nermometer			£12.99

RAINFALL MEASURE

RAINFALL MEASURE a durable plastic conical shaped rainfall measure that is calibrated





CODETYPEPRICE521-300West Rainfall Measure WST300......6.49

IF THERE ARE OTHER PRODUCTS THAT YOU WOULD LIKE US TO STOCK, PLEASE FEEL FREE TO LET US KNOW.

FREE PARKING FOR 2 HOURS OUTSIDE OF OUR SHOP

E-mail: sales@squirestools.com - www.squirestools.com

ELECTRONIC SCALES

POCKET SCALES stylish and compact pocket scale for the precision measurement of jewellery, precious metals and other delicate objects. These highly accurate scales have a very sensitive weighing platform and feature a counting function for 25pcs, 50pcs, 75pcs and 100pcs. Features a 37 x 16mm LCD readout with blue backlight. Weighs in g, gn, tl and ct units, graduation 0.01g and 300g maximum load. Overload/unstable indication, tare and counting function and auto power off. Includes soft black protective bag.

Requires 2 x AAA batteries (not supplied). Dimensions 117 x 63 x 21mm, weight 110g.



CODE	ТҮРЕ	PRICE
32-0059	Pocket Scales 300gm	£12.99

DIGITAL POCKET SCALES 500g a stylish compact pocket scale for the precision measurement of jewellery, precious metals and other delicate objects. Features a large (33 x 33mm) LCD readout with blue backlight. 500g maximum load with graduation of 0.1g. Overload indication and tare function. Auto power off and low battery indication.

Requires 2 x CR2032 (supplied). Max. load 500g, Dimensions 110 x 70 x 15mm. Weight 120g



CODE	TYPE	PRICE
32-0058	Pocket Scales 500g	£16.99

DIGITAL KITCHEN SCALES lightweight digital kitchen scales with a durable ABS platform and large LCD display. Features imperial or metric measurement and overload indication. Tare function. Uses 1 x CR2032 supplied.



ELECTRONIC KITCHEN SCALES a set of fashionable chrome and glass digital scales with clock. Capacity 1 - 5000g, auto power off with time indication and clear LCD readout. 150mmØ 4mm tempered glass plate. Tare function, imperial or metric measurement (g, oz, kg, lb).

Requires 1 x CR2032 not supplied. Dimensions 200 x 170 x 40mm, weight 600g. PRICE CODF TYPF 32-0022 Electronic Kitchen Scales..... £21.99

DUSTING TOOLS

DUSTING BRUSH a miniature dusting brush with fine synthetic fill. It is ideal for dusting delicate mechanisms.

CODE	ТҮРЕ	PRICE
760-194	Miniature Dusting Brush	£0.99
760-195	Miniature Dusting Brush Pack of 10	£9.00

RUBBER BLOWER WITH BRUSH a small rubber dusting pump

with a brush for delicate dusting of slides and other delicate items.

	10	
CODE	ТҮРЕ	PRICE
760-971	Rubber Blower with Brush	£4.50


DUSTING PUMP a rubber dusting pump with fine metal nozzle. A non-return valve prevents the dust being sucked back into the body. Ideal for cleaning and dusting delicate objects.

CODE TYPE PRICE RDP010 Rubber Dusting Pump..... £3.99

MODEL RAILWAY ELECTRIC'S

MODEL RAILWAY ELECTRIC'S BOOK by Fred Martin, a guide

to wiring a model railway for the novice and experienced modeller alike. The book covers wiring for cab control, points, point motors, layout planning, wiring multiple baseboards, passive sections, fiddle yards and reversing.



CODE TYPF Model Railway Electrics..... £5.00 500-999

PRICE